



# **PRODUCT CATALOG**

## **2019 - 2020**

[WWW.RBLPRODUCTS.COM](http://WWW.RBLPRODUCTS.COM)

# CORDLESS SANDER & POLISHER KIT

PART NUMBER: 950




## The 950 Kit Includes These Accessories:

- RBL Products' One Step Polish
- Cleaning Brush
- 24 Engineered Abrasive Discs (2,000 grit)
- 3 mm for Offset Sanding
- 12 mm for Polishing
- Rotary Adapter
- 1, 2, & 3 Inch Foam & Wool Pads for Compounding & Final Polishing
- 2 Batteries & Charger (Not Shown)

**RBL** PRODUCTS, INC.  
Detroit / USA

**THOSE HARD TO REACH AREAS ARE NO LONGER IMPOSSIBLE TO REPAIR**





# CORDLESS

## SANDER & POLISHER KIT

PART NUMBER: 950



#	Part #	Description
KIT	950	Cordless Variable Speed Control Sander & Polisher Kit
1	900	Cordless Sander & Polisher
2	905	2" Wool Pad (4 Pack)
3	906	2" Red Cutting Pad (4 Pack)
4	907	2" Yellow Finish Pad (4 Pack)
5	917	12 mm Adapter
6	908	3" White Cutting Pad (5 Pack)
7	910	1.5" Yellow Finish Pad
8	911	1.5" Red Cutting Pad
9	912	2" H&L Backing Pad
10	913	32 mm Smooth Backing Pad
11	914	32 mm H&L Backing Pad
12	915	Battery (1 Quantity)
13	916	Rotary Adapter
14	918	3 mm Adapter
15	919	Detail Brush
16	920	Battery Charger
17	52022	RBL Products One Step Polish (4 oz)
	921	24 - #2000 Grit Engineered Abrasive (Not Pictured)



**RBL** PRODUCTS, INC.

Detroit / USA

# TACKY NETTING

THAT INSTALLS IN MINUTES


## FEATURES

- Made of lint free monofilament nylon
- Open tack formulation stays tacky for months
- Contains flame retardant
- Size of roll 72"x160'
- AVAILABLE IN WHITE
- Eyelets on both top and bottom of roll
- Eyelets repeat every 2"

## NEW! TACKY NETTING TRAPS DIRT AND OVERSPRAY



Easy to install (like a shower curtain).  
Just hook netting thru eyelets.



Cutting the netting is easy. Just use  
the #555 RBL snippet cutter blade.



Bug trapped in netting.

## TESTIMONIALS

"Since we put up the netting my denibbing and polishing time is cut in half."

- Alex Vega, Auto Firm

"The Tacky netting is a fast and easy way to help eliminate dirt."

- Ben C, Schottmillers Team

"Took me 20 minutes to install. I immediately noticed a difference after the first job."

- Rick A, Custom Collison





## PRODUCT NAME


- 1 WHITE NETTING (72X160')
- 2 NEODYMIUM MAGNETS WITH HOOKS (6 MAGNETS PER BOX)
- 3 STARTER KIT- INCLUDES ONE ROLL OF WHITE NETTING AND 12 MAGNETS
- 4 STARTER KIT- INCLUDES ONE ROLL OF BLACK NETTING AND 12 MAGNETS

## PRODUCT #

- 760-W
- 761
- 760-WS
- 760-BS



Installs easily over floor grates by attaching with magnets



After cutting netting fold over and secure with magnets for a clean edge.

**RBL** PRODUCTS, INC.  
Detroit / USA



# UV PUTTY WITH CURING LIGHT

**EXCELLENT FOR CHIPS,  
SCRATCHES, AND PIN HOLES**

## FEATURES


- Cures in less than 30 seconds when using RBL 10W UV Worklight
- Zero shrink. 100% solids
- No staining. Can spray base coat and clear directly over putty
- Prime and paint over cured putty
- Translucent in color
- Self leveling
- For use on all surfaces: metal, aluminum, fiberglass, and more
- Compatible with all paint systems

PART#	ITEM
UV 880	3oz UV Putty (4 bottles per carton)
UV 855	UV rechargeable light
UV 860	UV rechargeable light with 3oz Putty Bottle

## REPAIR SEQUENCE




Scratch in body panel



Scratch filled with RBL UV Putty



Putty cured in less than 30 seconds with RBL 10W Cordless Light



Mechanical or sand by hand to level and feather



Scratch filled and feathered smooth



Prime over UV Putty



www.RBLproducts.com

# UV PRIMER AND CLEAR TOUCH UP



## **CURES IN 20 SECONDS**

Excellent for filling chips, fisheyes (craters), and scratches.

100% solids results in zero shrinkage

### **UV PRIMER**

- Excellent adhesion to bare metal
- Easy to sand
- Cures in 20 seconds
- Built in squeegee prevents primer from dripping

### **UV CLEAR**

- Crystal clear
- Cures in 20 seconds
- Can immediately sand and polish after cure
- Pointed brush allows for precise touch ups



### **UV PENLIGHT KIT**

Includes 1- metal pen light, 1 USB 110 charger, and fabric holster. 2.5 hours of continuous use

**RBL** PRODUCTS, INC.  
Detroit / USA

# EXCELLENT FOR REPAIRING CRACKS



Expose UV primer or clearcoat to UV light at close range for 20 seconds



Excellent for touching up chips and scratches.

## UV-850 STARTER KIT

Consists of 1 UV pen light with USB recharger and cord, 1 tube of clear coat, and 1 tube of primer

UV-851	UV-852	UV-853	UV-854
Includes 3 tube of clear coat and 3 tubes of primer in a full color counter display	Box of 4 tubes of primer	Box of 4 tubes of clear coat	1 complete UV pen light kit (pen light, usb 110 charger and fabric holster)



# THE BEST JUST GOT BETTER NOW BRUSHLESS



**NEW!**  
**ERGONOMIC DESIGN**

## 21MM BIG ORBIT CORDLESS POLISHER

Your phone has been cordless for years, so why isn't your polisher? Whether you're polishing your boat, touching up a job outside the shop, or running a mobile detailing business, power sources are not always readily accessible to you. You could spend hours untangling that giant orange mess you call an extension chord only to be limited by its reach OR you could seek an alternative solution that can literally go anywhere without requiring an external power source. The 21MM Big Orbit Cordless Polisher is the battery-powered answer to your problem. Order yours today!

### FEATURES

- 21mm Random Orbit
- Variable Speed Control
- 60 Minute Battery Life
- Charger Included
- Stands In Upright Position
- Excellent For Gel Coats
- Strong 21v 4.0h Li-Battery
- Comes With 2 Batteries
- Battery Life Indicator



**AUTO**



**MARINE**

MODEL #22003



**RBL** PRODUCTS, INC.  
Detroit / USA

# 21MM RANDOM ORBITAL POLISHER WITH INSPECTION LIGHT

An industry first: combining the most powerful 21mm polisher with a built in inspection light. You can polish your car until your blue in the face, but once you get that bright inspection light on it you're going to notice some imperfections in your work. You can either waste time going back and forth between polishing and inspecting, or you can save time, energy and frustration by attaching your inspection light to your polisher. That's just what we've done. Our 21mm Polisher with Inspection Light is the best way to inspect your work while polishing your vehicle. Order yours today!



## POLISHER

- Built-In Inspection Light
- Soft touch grip
- 2 Handle Styles: 360 degree round and "U" style
- Our Most Powerful 900W Motor
- 200-4800 RPMs (variable speed)
- Non-Crimping Cord Design
- 6 Month Limited Warranty
- One touch instant on/off

## INSPECTION LIGHT

- 1800 Lumens
- 180 Degree Light Spread
- 2 Kelvin Settings (5000k, 6000k)
- 1 Dimming Setting



AUTO



MARINE



## INTO THE LIGHT

You can either polish under your shop's lighting conditions or with the lights off and see every imperfection like it is under a magnifying glass.



MODEL #23001

**RBL** PRODUCTS, INC.  
Detroit / USA

# INSPECT YOUR WORK ON THE SPOT



## ROTARY POLISHER WITH INSPECTION LIGHT

You can polish your car until your blue in the face, but once you get that bright inspection light on it you're going to notice some imperfections in your work. You can either waste time going back and forth between polishing and inspecting, or you can save time, energy and frustration by attaching your inspection light to your polisher. That's just what we've done. Our rotary Polisher with Inspection Light is the best way to inspect your work while polishing your vehicle. Order yours today.

### POLISHER

- Built-In Inspection Light
- Soft touch grip
- 2 Handle Styles: 360 degree round and "U" style
- Our Most Powerful 900W Motor
- 400-2400 RPMs (variable speed)
- 6 Month Limited Warranty
- One touch instant on/off

### INSPECTION LIGHT

- 1800 Lumens
- 180 Degree Light Spread
- 2 Kelvin Settings (5000k, 6000k)
- 1 Dimming Setting



**CRIMP PROOF  
SWIVEL CORD HOUSING**



**AUTO**



**MARINE**



**MODEL #23005**

**RBL** PRODUCTS, INC.

*Detroit / USA*

**SOLVENT AND  
WATER-BASED**

# **HEAVY DUTY PRESSURE SPRAYER**



## **FEATURES**

- ① Built in pressure relief
- ② Both spray and stream
- ③ Large volume (51oz) canister with fluid level window

**EXTRA SEAL KIT INCLUDED**

**RBL** PRODUCTS, INC.  
Detroit / USA

PART #3132BC (Water)  
PART #3132NG (Solvent)

# THE DECISION IS EASY




RBL Heavy Duty Pressure Sprayer

Leading Competitor



Open top design allows debris to enter. RBL Heavy Duty Pressure Sprayer is completely enclosed.



RBL canister opening is almost twice as large as competition



RBL Heavy Duty Pressure Sprayer has pressure relief. Competition does not.



Larger capacity fluid volume with viewing window. Competition is smaller capacity and no viewing window

**RBL** PRODUCTS, INC.  
Detroit / USA



## PAINT INSPECTION LIGHT

- Excellent For Color Correction
- Easy To Identify Wheel Marks, Sand Scratches And Dirt Defects
- 3 Dimming Settings Allow For Full Sunlight, Afternoon Sunlight And Cloudy Conditions For Premier Color Correction
- Wide Illumination Area



- Rechargeable 4400mAH Lithium Ion Battery • Integrated Stand & Hanger
- USB Power Outlet • Net Weight: 1.4Kg

Part No: RBL-INS-1

Description: Task / Inspection Light

Units/Case: 1

RBL Products • 6040 Russell • Detroit, MI 48211 • [RBLProducts.com](http://RBLProducts.com)

# #HH-1 COLOR MATCHING LIGHT



**2 LIGHT TEMPERATURES IN ONE**  
At the touch of a button, choose the light that's perfect for your job.



**ULTRA-STRONG MAGNETIC BASE  
& BENDABLE DESIGN**  
for positioning at any angle

- Rapid Recharge (AC adaptor & USB cable included)
- Diffuser Lens (For larger illumination area)
- Carrying Case With Belt Clip
- Charge Light Indicator
- Built-in Clip Hook
- Cordless



RBL #HH-1  
INCLUDES:  
Hand-held Light,  
Case w/ Belt Clip & Charger



# AUTO MASK®

## The Pre-taped, Pre-folded, Hand-held Paint Masking System

that enables one man to mask for unlimited lengths, quickly and accurately, on all vehicles, reducing masking time and material waste. Choose the correct AutoMask masking drape for your masking needs.



### FEATURING:

**21", 43", 72", 96", 120" AND 144" MASKING DRAPES**



AutoMask 21"


AutoMask 43"

AutoMask 72"



21" AutoMask

### Product Performance Benefits

- ◆ Lint free! Eliminates risk of masking paper fiber contamination.
- ◆ Anti-static.
- ◆ Ultimate solvent bleed-thru resistance. Even paint stripper can't penetrate it.
- ◆ Resists heat up to 230°F (110°C).
- ◆ Completely waterproof – wet sand - wet sand - wet sand.
- ◆ AutoMask and Supersized AutoMask Plastic Film is recyclable. ♻️
- ◆ AutoMask and Supersized AutoMask system uses high quality, 3/4" & 1 1/2" automotive grade masking tape.
  - Superior flexibility
  - Resists splitting
  - Easy to remove
  - No adhesive transfer
- ◆ Compactibility – wads up into small, space-saving, throw-away balls. Conserves disposal space up to 70%. 



43" AutoMask

### Product Information

Part No.	Description	Units/Case
101	AutoMask Roll-on Dispenser 21" x 115'	12
102	AutoMask Refill Roll 21" x 115'	12
103	AutoMask Roll-on Dispenser 43" x 115'	12
104	AutoMask Refill Roll 43" x 115'	12
108	AutoMask Roll-on Dispenser 72" x 115'	12
109	AutoMask Refill Roll 72" x 115'	12
105	Dispenser for 21" AutoMask Roll	6
106	Dispenser for 43" or 72" AutoMask Rolls	6



72" AutoMask

# SUPERSIZED AutoMask®

Paint overspray sticks to film!  
Strong, static-free "cling" to surface!



96"

120"

144"



Hand-held applicator designed for use with 72", 96", 120" & 144" rolls.



## Product Information

Part No.	Description	Units/Case
110	Supersized AutoMask 96" x 115' Roll	6
111	Supersized AutoMask 120" x 115' Roll	6
113	Supersized AutoMask 144" x 115' Roll	4
115	AutoMask Hand-held Applicator	1
555	Snipnet Knife	25

96" Supersized AutoMask  
120" Supersized AutoMask  
144" Supersized AutoMask

For masking larger SUVs, pick-ups, RVs, motor homes, commercial vehicles and airplanes.

# BoatMask

A unique pre-folded "paint-on-stick-to" plastic sheeting combined with a specialized blue masking tape that resists any adhesive transfer for up to 10 days outside, allowing for a clean removal without any tape residue.

## Product Performance Benefits

- ◆ It's designed for fast, efficient, accurate masking.
- ◆ It's completely waterproof!
- ◆ Resists solvent bleed-thru penetration. ◆ Compactible disposal.
- ◆ Available in 4 different sizes that unfold to 21" or 43" or 72" or 96" masking drape lengths.
- ◆ High density polyethylene (HDPE) tough & durable. ◆ Solvent resistant.
- ◆ Disposable, recyclable plastic. ◆ Reusable.
- ◆ Resists heat up to 230°F (110°C). ◆ Non-static. ◆ Completely waterproof.

## Product Information

Part No.	Description	Units/Case
290	Boat Mask (w/Blue tape) – 21" x 90' Roll-on Dispenser	6
291	Boat Mask (w/Blue tape) – 21" x 90' Refill Roll	6
292	Boat Mask (w/Blue tape) – 43" x 90' Roll-on Dispenser	6
293	Boat Mask (w/Blue tape) – 43" x 90' Refill Roll	6
294	Boat Mask (w/Blue tape) – 72" x 90' Roll-on Dispenser	6
295	Boat Mask (w/Blue tape) – 72" x 90' Refill Roll	6
296	Supersized Boat Mask (w/Blue tape) – 96" x 90' Roll	6
297	Supersized Boat Mask (w/Blue tape) – 120" x 90' Roll	6
298	Supersized Boat Mask (w/Blue tape) – 144" x 90' Roll	4

Paint overspray sticks to film!  
Strong, static-free "cling" to surface!



21" for masking along edge of jet ski between hull top and bottom



# PLASTIC WHEEL BAG MASKERS

**"BAG" the tire in seconds!**


**Covers & Protects 13" to 24.5" tires**

Designed to provide total tire masking protection against paint overspray, dust, dirt and other contaminants during refinish repair.



**WHEEL BAG MASKERS TO COVER THE COMPLETE RANGE OF TIRE SIZES**

## Product Performance Benefits

- ◆ Built-in 'cling' feature enables the BAG to wrap the tire for complete masking protection and keeps the BAG out of the way of air hoses and body technicians.
- ◆ Paint overspray sticks to film.
- ◆ BAG design allows easy cut-out of center of bag when painting hub-cap of tires on trailers, trucks and busses.
- ◆ Tough and durable.
- ◆ Non-static.
- ◆ Disposable.
- ◆ Recyclable plastic. 
- ◆ Tough, full BAG design allows using the bag twice, front & back. Cost effective! (2 for 1)



Easy-to-use dispenser boxes. Pull out BAG and tear at perforation.

## Product Information

Part No.	Description	Units/Case
<b>Wheel Bag Maskers on a Perforated Roll in User-Friendly Dispenser Boxes:</b>		
172	13" - 14" - 15" Passenger Car Tires	100/box
176	16" Sport/Utility & Light Truck Tires	60/box
177	17" - 20" Luxury Car, Super SUV, Sports Car & High Performance Tires	36/box
169	22.5" - 24.5" Bus, Truck & Trailer Tires	50/box
<b>Wheel Bag Maskers Individually Folded Flat in Flat Boxes:</b>		
167	Dual 24.5" Trailer Tires	75/box



13" - 14" - 15" Passenger Car Tires



16" Sport/Utility & Light Truck Tires



17" - 20" Luxury Cars, Super SUV, Sports Car & High Performance Tires



22.5" - 24.5" Bus, Truck & Trailer Tires



Dual 24.5" Trailer Tires

## Passenger Vehicles & Pick-Up Trucks

# PLASTIC MIRROR MASKERS

Reduce Side Mirror Masking Costs (labor & materials) by 50% - 75%!



1 Slip on MIRROR MASKER over side-view mirror.



2 Tape-off open end. Total mirror masking protection against refinish overspray in seconds. Built-in "cling" wraps the mirror.



3 Eliminates costly 2" tape masking.

## Truck & Trailer, Commercial Buses & Vans

# PLASTIC MIRROR MASKERS

Complete Masking Protection in seconds!

Designed to provide total mirror masking protection against paint overspray, dust, dirt and other contaminants during refinish repair.



1 Slip Mirror Masker over mirrors and rods...




...and tape against cab.

- Covers large rectangular side mirror with or without 6" convex/spot mirror.
- Covers up to 28" rod/mirror extensions from side of cab.



### Product Performance Benefits

- ◆ High density polyethylene (HDPE), tough & durable.
- ◆ Solvent resistant.
- ◆ Disposable, recyclable plastic. 
- ◆ Reusable.
- ◆ Resists heat up to 230°F (110°C).
- ◆ Non-static.
- ◆ Completely waterproof.



Eliminate costly 2" tape masking!

### Product Information

Part No.	Description	Units/Case
170	Truck/Trailer Cab Mirror Masker	50/box

# Self-Adhering COLLISION WRAP FILM

## Temporary Outdoor Storage Protection for Damaged Vehicles

Self-adhering WRAP covers cracked windshields, broken windows, sprung doors, caved-in roofs and any opening to protect vehicle interior from risk of damage from rain, wind, snow, dirt, etc., outdoors or indoors.

36"  
C  
O  
L  
L  
I  
S  
I  
O  
N  
W  
R  
A  
P



### It's User Friendly!

One person quickly unrolls self-adhering protective WRAP across a damaged windshield.



24" width covers side windows in one strip.



Eliminate jerry-rig attempts to cover crash damaged vehicles sitting outdoors awaiting repair.



Collision WRAP for sitting vehicle in phases of repair.

### Product Performance Benefits

- ◆ Durable 3 mil puncture resistant plastic film with UV inhibitor.
- ◆ Adheres to clean and dry surface - metal, glass & plastic.
- ◆ See-through clear plastic.
- ◆ Film cuts easily with razor blade, poly knife or No. 555 SNIPPET KNIFE.
- ◆ Immediate protection anywhere a vehicle is temporarily stored and vehicle interior is exposed to risk of damage from wind, rain, dirt, etc., outdoors or indoors!
- ◆ For use on vehicle exterior surfaces only.



18" Collision WRAP for "sprung" doors.

### Product Information


Part No.	Description	Units/Case
428	36" x 100' Continuous Roll (Covers front or rear windshield in one strip width)	1 roll
432	18" x 100' Continuous Roll (Covers sprung doors, hoods and lids in one strip width)	1 roll
433	48" x 100' Continuous Roll (Covers open side of vehicle when doors are removed)	1 roll
434	24" x 50' Continuous Roll (Covers side windows in one strip width)	1 roll
555	SNIPPET Knife	25



48" Collision WRAP covers open side of vehicles

# PROTECTING THE BOOTH JUST GOT **4X EASIER**

## **NEW! 4 IN 1 MASKING SHEETS**



### **4X THE PROTECTION**

- Covers 65' x 82" area
- Protects spray-booth walls from paint and overspray
- Simple one-person application
- Easy to install, less than 10 minutes per booth
- 4 sheets per roll
- Each sheet perforated for easy removal
- Tape sticks to booth wall without leaving residue
- Plastic is treated so paint and overspray will adhere
- Tape and film can withstand numerous bake cycles



Easy one-man application.



Use our RBL#555 Snipet to cut the 4 in 1 sheeting.



When totally unfolded, covers a 65'x82" area.



Easy to see thru and will not reduce lighting.



Remove dirty layer by sliding hand through perforation at top to reveal another clean layer.



**PART# RBL41**

[www.RBLproduct.com](http://www.RBLproduct.com)

Self-Adhering

# LITE BOX GLASS PROTECTIVE FILM

Covers lite box glass in spray booths.

**Application Sequence:** Self-adhering Lite Box Glass Overspray Protective Film.

**Do NOT apply on booth walls.**  
(Adhesive system is designed for glass only.)

**Use No. 438 Spray Booth Wall Protective Film on walls.**



Eliminates scrapping glass clean with a razor blade.



Finishing up at end of glass and cutting with SNIPPET KNIFE or razor blade.



**Preserves booth lighting without distortion or deflection!**

## Product Performance Benefits

- ◆ Eliminates the labored cleaning method of glass cleaner, razor blade and rags!
- ◆ Temperature resistance up to 200°F (93.3°C).
- ◆ Fast, accurate and economical!
- ◆ Preserves booth lighting without distortion or deflection
- ◆ At end point, tear at perforation or if between perforations, cut with razor blade or No. 555 SNIPPET Knife.

## Product Information

Part No.	Description	Units/Case
435	Lite Box Glass Protective Film Clear 24" x 100' Roll (.61m x 30.5m), (perforated every 24" along length)	1 roll
555	SNIPPET KNIFE	25


*Self-Adhering*  
**SPRAY BOOTH WALL PROTECTIVE FILM**

*Clear, non-yellowing, see-through film applies directly over white booth walls and doors.*

*Easy to handle, lightweight reverse-wound 36" wide roll.*

**User-friendly Features:**

- ◆ Strength of adhesive supports weight of roll preventing roll from running down the wall.
- ◆ **Reverse-wound roll enables wrinkle-free, bubble-free application against booth walls.**



Product Performance Benefits

- ◆ Durable puncture resistant plastic film with UV inhibitor.
- ◆ Self-adhering film leaves no adhesive transfer.
- ◆ Easy to apply. Easy to cut film with SNIPPET KNIFE or razor blade.
- ◆ Remove when desired and apply new film.
- ◆ Eliminates labor intensive removal of spray or roll-on peelable coatings!
- ◆ Eliminates repeated coats of white booth coating!
- ◆ Cuts booth maintenance time in half!
- ◆ No mess. No cleaning of spray gun.
- ◆ Film resists heat up to 200°F (93.3°C).
- ◆ Preserves booth lighting without distortion or deflection.

**Eliminates repeated coats of white booth coatings!**

**Average Material Use and Labor Time:**

- ◆ Quick installation time.
- ◆ Booth Size – 24' deep x 14' wide x 8' high walls.
- ◆ Booth Wall Protection Film required – 2 to 2-1/2 rolls.
- ◆ Labor Time Required – 1-1/2 hours with 2 personnel.

Product Information

Part No.	Description	Units/Case
438	Booth Wall Protective Film <b>Clear</b> 36" x 100' Roll (.91m x 30.5m)	1 roll
443	Booth Wall Protective Film <b>White</b> 36" x 100' Roll (.91m x 30.5m)	1 roll
442	Booth Wall Protective Film <b>White</b> 48" x 200' Roll (1.22m x 61m)	1 roll
555	SNIPPET KNIFE	25

**Do NOT apply over Lite Box Glass.**  
*(Adhesive system is designed for walls only.)*  
**Use No. 435 Lite Box Glass Film.**



*Beginning at one end of the wall, tack down a 2"-3" starter edge at the ceiling break.*



*Roll down film against wall smoothing as you go to the top of lightbox.*




*Using a SNIPPET KNIFE or razor blade, cut across film at top edge of lightbox. (Do NOT cover lightbox\*.)*

# Self-Adhering SPRAY BOOTH FLOOR FILM

Clear and White heavy-duty protective films keep floors clean.



Unrolling "Clear" film onto booth floor.



Unrolling "White" film onto booth floor.

Dry, non-skid surface!

For Concrete & Ceramic Tile Floors

## SOLVENT BORNE & WATERBORNE COMPATIBLE

### Product Performance Benefits

- ◆ Easy to apply. Reverse wound roll (adhesive to the outside) enables easy rolling laydown of the film to the floor.
- ◆ Self-adhering, stay-in-place protection
- ◆ Heavy duty mil guage plastic film. Resists tears, punctures and disintegration.
- ◆ **Dry, non-skid surface**
- ◆ Film resists temperatures up to 200°F (93.3°C).
- ◆ Eliminates cleaning floor with chemicals.
- ◆ Can be rinsed off with water (after application).
- ◆ **Remove every 60-90 days and apply anew.**

### Concrete Floors

- ◆ Concrete floors must be sealed and dry prior to application of floor film.
- ◆ Sealing the floor: Follow manufacturer's directions for acid etching and epoxy coating of concrete floor.

### Product Information

Part No.	Description	Units/Case
419	30" x 120' Roll (.76m x 36.6m) <b>Clear</b> Plastic (Reverse-wound roll)	1 Roll
421	48" x 200' Roll (1.22m x 60.9m) <b>Clear</b> Plastic (Reverse-wound roll)	1 Roll
454	48" x 200' Roll (1.22m x 60.9m) <b>White</b> Plastic (Reverse-wound roll)	1 Roll

### Ceramic Tile Floors

- ◆ Ceramic tile floors must be clean and dry before application of floor film.

### Product Information




Part No.	Description	Units/Case
422	48" x 200' Roll (1.22m x 60.9m) <b>Clear</b> Plastic (Reverse-wound roll)	1 Roll
455	48" x 200' Roll (1.22m x 60.9m) <b>White</b> Plastic (Reverse-wound roll)	1 Roll



Film can be rinsed off and squeegeed.

# SPRAY BOOTH/MIXING ROOM WALK-ON TACKY MATS

Stop 'walking' dirt into your painting environment



Position on concrete floor at entry to spray booth and on carpeted floor at entry to shop office. When the top MAT is dirty, peel back at corner to remove dirty MAT from PAD. A new, fresh MAT is now on top.

Individually numbered multi-layer MATS (1 thru 30 sheets)

## Two MAT Sizes: 18" x 36" and 24" x 36"

### STARTER KITS

are packaged

1 – Reusable BASE with

1 – MATS PAD per case  
(30 Sheets per PAD)





### REPLACEMENT MATS PADS

are packaged

4 – PADS per case  
(30 Sheets per PAD)

Each Pad in the 4-PADS case is individually wrapped and labelled.



skid-free  
bottom surface

◆ Durable, reusable BASE with rubberized skid-free bottom surface keeps the PAD in place.

### Product Information


Part No.	Description	Units/Case
367	STARTER KIT - 18" x 36" MATS PAD on BASE 1 BASE (30 Sheets per PAD)	1 PAD
365	18" x 36" REPLACEMENT MATS PAD (30 Sheets per PAD)	4 PADS
368	STARTER KIT - 24" x 36" MATS PAD on BASE 1 BASE (30 Sheets per PAD)	1 PAD
366	24" x 36" REPLACEMENT MATS PAD (30 Sheets per PAD)	4 PADS

For Use  
 With  
 Acids And  
 Solvents



## Acid / Solvent Resistant Trigger Sprayer

- Designed for use with acids and solvent based liquids
- A sealed vent system allows the sprayer to be shipped filled with liquid
- 1.1cc Output
- Can produce both spray and stream



PART NUMBER	DESCRIPTION	UNITS/CASE
RBL-12060	Trigger w/ 1qt Bottle	12
RBL-12061	Trigger	12



# SQUIRT SQUIRT

## DOUBLE ACTION TRIGGER SPRAYER



- **Double pump action: twice the spray with one pull**
- **Sprays upside down**
- **Sprays at any angle**
- **Sprays a fine mist or stream**
- **Excellent for wet sanding and decal application**



PART NUMBER	DESCRIPTION	UNITS/CASE
12065	Double Action Trigger Sprayer (1L   33.8oz)	4


Note: not recommended for use with solvents or other harsh chemicals

RBL Products • 6040 Russell • Detroit, MI 48211 • RBLProducts.com



# DUAL-DENSITY FOAM PAD

**ONE PAD DOES IT ALL**



← **Coarse Inner Pad**

Cuts and polishes scratches and imperfections in seconds

← **Fine Outer Pad**

Buffs surface to a shiny finish

U.S. Patent  
No. 9,089,943 B2

## AVAILABLE IN 3 CONVENIENT SIZES



**3.5" PAD**

Use with RBL 3" Random Orbital Buffer (RBL #2103)



**6" PAD**

Use with RBL 6" Random Orbital Buffer (RBL #21001)



**8" PAD**

Use with Rotary Polishers: Makita, DeWalt, Milwaukee and more

RBL Products • 6040 Russell • Detroit, MI 48211 • [www.RBLProducts.com](http://www.RBLProducts.com)

1-800-584-8111 • (313) 873-8809



# FOAMING DETAIL WAX KIT

*World's Fastest Detailer*

- Fills Minor Scratches
- Great on Glass
- Ultra Glossy Finish
- Repels Water
- Smooth Feel
- No Dripping



### System Includes:

**Foamer Sprayer**  
#3132FO

**Foaming Detail Wax**  
#12026 (1 gal.)

**Microfiber Cloth**  
#12020

**FREE**  
Microfiber Cloth  
with Purchase  
of Sprayer &  
Detail Wax



Apply foam quickly  
and easily



Simply wipe off

Foaming  
Detail Wax Kit

**RBL #12030**



RBL Products • 6040 Russell • Detroit, MI 48211 • [www.RBLProducts.com](http://www.RBLProducts.com)

# THE FASTEST AND MOST EFFICIENT WAY TO DETAIL A BOAT HULL



## RBL FOAMING DETAIL WAX

- 12026-1 1 GALLON FOAMING DETAIL WAX
- 12026-5 5 GALLON FOAMING DETAIL WAX
- 12030 1 GALLON FOAMING DETAIL WAX, 1 FOAMER, 1 MICRO-FIBER
- 12050 EXTENDABLE 8' MICRO-FIBER POLE WITH  
24" THREADED ALUMINUM BACKPLATE FOR MOP
- 12051 24X7" WHITE MICRO-FIBER MOP (3 MOPS/BAG)

**RBL** PRODUCTS, INC.  
Detroit / USA



### FEATURES

- 5' fan pattern ( width of spray)
- When fully extended mop can reach up to 15' in height
- Excellent on fiberglass, glass, and aluminum
- Has carnuba and uv protection



# SODA BLASTER

- *Sodablasting is a fast and gentle method of removing paint and corrosion*
- *Neither warms nor stretches the metal*
- *Does not damage glass, rubber, or plastic*
- *NO need to grind metal*
- *Excellent for removing rust*



## SODA BLASTER

The Sodablasting Gun is made of strong composite resin. Just add Soda Blasting Media in the container, connect to your compressed air source and go.

By dialing the nozzle you can adjust the stream of soda to be very narrow or a wider pattern and you can control this stream to the accuracy of an airbrush. The higher the compressed air pressure, the more media will be discharged.

The Soda media is especially designed for use with the Sodablasting Gun. Both the density and crystalline particle size are engineered for optimal use.



SODA BLASTING GUN



SODA BLASTING MEDIA



Part no.	Description/size	Units/Case
145150	Soda Blasting Gun	1
145151	Soda Blasting Media - 5L Bottle	1

# Self-Adhering CARPET PROTECTIVE FILM

Protects Carpeted Footwell Areas in Vehicles, Carpeted Floors and Steps

For use on new and used car lots, RV's, vans, mobile homes, during vehicle transport, etc.

## Product Performance Benefits

- ◆ Easy to apply.
- ◆ Self-adhering, stay-in-place protection.
- ◆ Clear, tough plastic.
- ◆ Resists tears, punctures, scuffing & disintegration.
- ◆ Safe, non-skid surface.
- ◆ Will not harm synthetic carpet.
- ◆ Easy to remove.
- ◆ UV-tested adhesive. No adhesive transfer.
- ◆ Lasting, durable protection – 30 plus days.



Suspend roll for tear-off and apply to carpet.

## Product Information

Part No.	Description	Units/Case
424	21" x 200' Carpet Protective Film (Perforated every 24" along length.) 2mil Self-adhering, clear plastic on 3" core.	1 roll
425	21" x 100' Carpet Protective Film (Perforated every 21" along length.) 3mil Self-adhering, clear plastic on 2" core.	2 rolls
418	21" x 600' Carpet Protective Film (Perforated every 24" along length.) 2mil Self-adhering, clear plastic on 3" core.	1 roll



Eliminates the risk of carpet dirt contamination from non-adhering floor mats.

# Self-Adhering PREMIUM 8MIL POLY URETHANE CLEAR CHIP PROTECTOR FILM

Protects paint finishes against stone chips, gravel, insects, road salt, sand and scratches on high impact areas.

## Product Performance Benefits

- ◆ Easy to apply. Easy to remove.
- ◆ Durable 8 mil polyurethane film protection.
- ◆ For permanent or temporary surface protection.
- ◆ Compatible with fully cured surfaces on new vehicles and refinished vehicles.
- ◆ Clear, see-through, non-yellowing protective film reflects the true paint color of the vehicle surface.
- ◆ Release liner on back of adhesive enables cutting out desired customized pattern for individual vehicle models.



## Product Information

Part No.	Description	Units/Case
545	6" x 7' (15.2cm x 2.13m) Roll	1 roll
546	12" x 7' (30.5cm x 2.13m) Roll	1 roll
549	2" x 3" Beveled Rubber Squeegee (For smooth, bubble-free application of film to vehicle surfaces, 3 per pack.)	6 packs

Self-Adhering

**SUPER SILENCE**

# SOUND DAMPING SHEET

*Reduces Noise and Vibration in All Types of Vehicles*



36" x 54" sheet



Easy to cut to size.



Peel 'n stick.



Flexible.



*The 36" x 54" sheet size is ideal for providing trunk applications the sound damping integrity of a seamless installation. (Replaces No. 130 Premium FlexLight)*

### Product Performance Benefits

- ◆ Restore OEM Sound Damping Application – Trunks - Quarter Panels - Doors
- ◆ Easy to cut to size and shape using scissors, utility knife or razor blade.
- ◆ A self-adhering, peel 'n stick application.
- ◆ Flexible, non-cracking, non-splitting sheet.
- ◆ Can be stacked in layers to build depth of damping.
- ◆ Stops rattles and squeaks.
- ◆ Enhances car audio system and amplifying power.
- ◆ Meets federal fire safety classification code: (FMVSS) Code 302.

**PAINTABLE: Scuff sand. Apply color coat.**

### Application Accessories

- ◆ Scissors for cutting the sheet.
- ◆ Small roller to smoothe the material into contours to assure good adhesion.
- ◆ A heat gun can be used to strengthen the adhesion of material to surface.

### Product Information

Part No.	Description	Units/Case
140	36" x 54" Sound Damping Sheet (13.5 sq.ft.)	1 Sheet/Roll
128	12" x 12" Pad	6



## **SUPER SILENCE** Sound Damping Pads

### Restore OEM Sound Damping Applications

#### **SUPER SILENCE**

- More Flexible
- Molds Easily Over Surface
- Easy To Cut
- Cost Effective
- No Need To Heat Up
- Paintable

#### **Q-PAD**

- Breaks in half when bent
- Too Rigid To Mold Over Surface
- More Difficult To Cut
- Less Cost Effective



Easy to cut to size.



Adhesive backing making it easy to apply.



MADE IN U.S.A.

OEM  
Sound Damping  
Replacement  
Material



SUPERIOR  
CORROSION  
RESISTANCE!

# SOUND DAMPING

*Eliminates or reduces noise generated by road, engine, drive train, suspension system and panel vibration.*



10" x 10" sheet



18" x 32" sheet



**Xtreme DYNAMAT preserves the O.E.M. sound damping factory condition on domestic and import vehicles.**

## Product Performance Benefits

- ◆ Thin and lightweight.
- ◆ Flexible – Conforms easily to all shapes and sizes.
- ◆ Easy to install. A peel-and-stick installation.
- ◆ Paintable. Scuff sand and apply color coat.
- ◆ The aluminum laminate deflects heat from firewalls, floor pans and engine compartments.
- ◆ Superior corrosion resistance.
- ◆ Improves sound quality and amplifying power of car audio systems.
- ◆ **Storage Benefit:** Xtreme Dynamat is unaffected by cold weather. It remains flexible and will not crack or split during unrolling of sheet or during application.

**Fire Classification: Federal Motor Vehicle Safety Standard (FMVSS) Code 302**



FIREWALL



ENGINE COMPARTMENT

**Deflects heat from firewall, floor pans and engine compartments. Its 4 mil laminated facing deflects thermal conductivity of high heat areas.**

## Product Information

Part No.	Description	Units/Case
136	24" x 48" Sheet	1
138	10" x 10" Xtreme DYNAMAT	4
139	18" x 32" Xtreme DYNAMAT	2


# Cock 'N Lock 1/4" & 3/8" Cock 'n Lock /POWER FLOW Pneumatic Coupler & Plug Assemblies

## Increased Air Flow Efficiency


Increased air flow efficiency conserves compressed air and increases pneumatic power to each line running off the air compressor.

**The Choice for  
HVLP Spray Guns!**

The power flow coupler's air chamber is **completely open**, unblocked by springs, coils or mechanical assembly. This allows unrestricted air flow through the coupler passageway and through the **full flow ported plug**.



Unrestricted air flow - completely open



Full Flow Ported Plug



1/4" Couplers & Plugs		Euro-style / M-style	
Part No.	Description		Units/Case
610	<b>1/4" Coupler Set</b> 1 ea. - 1/4" Coupler, Female NPT (No. 611) 1 ea. - 1/4" Ported Plug, Female NPT (No. 612)		6
611	<b>1/4" Coupler, Female NPT</b>		6
612	<b>1/4" Ported Plug, Female NPT</b>		6
613	<b>1/4" Ported Plug, Male NPT</b>		6
620	<b>1/4" Coupler Set</b> 1 ea. - 1/4" Coupler, Male NPT (No. 621) 1 ea. - 1/4" Ported Plug, Female NPT (No. 612)		6
621	<b>1/4" Coupler, Male NPT</b>		6
630	<b>1/4" Coupler Set</b> 1 ea. - 1/4" Coupler, Female NPT (No. 611) 1 ea. - 1/4" Ported Plug, Female NPT (No. 612) 1 ea. - 1/4" Ported Plug, Male NPT (No. 613)		6
640	<b>1/4" Coupler Set</b> 1 ea. - 1/4" Coupler, Male NPT (No. 621) 1 ea. - 1/4" Ported Plug, Female NPT (No. 612) 1 ea. - 1/4" Ported Plug, Male NPT (No. 613)		6

3/8" Couplers & Plugs		Euro-style / M-style	
Part No.	Description		Units/Case
614	<b>3/8" Coupler Set</b> 1 ea. - 3/8" Coupler, Female NPT (No. 615) 1 ea. - 3/8" Ported Plug, Female NPT (No. 616) 2 ea. - 3/8" Reduction Bushing, 3/8" Male x 1/4" Female NPT (No. 606)		6
615	<b>3/8" Coupler, Female NPT</b>		6
616	<b>3/8" Ported Plug, Female NPT</b>		6
617	<b>3/8" Ported Plug, Male NPT</b>		6
606	<b>3/8" Reduction Bushing, 3/8" Male x 1/4" Female NPT</b>		6
619	<b>3/8" Hex Nipple, 3/8" Male x 3/8" Male NPT</b> (For attaching a female 3/8" air hose to No. 615 Coupler)		6

# AIR BOY BLOW GUNS

A unique Trigger Control Action enabling Variable Air Flow Control for detailed, up-close cleaning and drying applications.

## Product Information

	Part No.	Description	Units/Case
	<b>Air Boy Blow Guns</b>		
	140023	8mm I.D. SNUB Nose Blow Gun with protective rubber tip	6
	140101	8mm I.D. Angled Tube	6
	140103	8mm I.D. Angled Tube with pressure regulator screw	3
	<b>Blow Guns Accessory Tips</b>		
	140116	Venturi By-Pass Nozzle (pushes on to end of No.140101 Blow Gun to comply with OSHA air regulations.)	4
	140124	Protective Rubber Tip Fits over 8mm I.D. Tube Tip	6



- Prevents corrosion
- Promotes adhesion
- For use on metal surfaces
- Substitutes the use of wash, etch, and epoxy primers
- Can be used with **ALL** paint systems

## MULTIPLE DELIVERY APPLICATIONS



### Pre-Treatment Cut Thru Marker

- For use on small areas
- Quick, easy to use application
- Small, compact design



### Pre-Treatment Cut Thru Wipes

- For use on medium size areas
- Quick Drying
- No preparation necessary



### Pre-Treatment Sponge

- For use on larger areas
- Holds 4oz. of Pre-Treatment solution
- 2-in-1 design, includes sponge and scuff pad

## How it Works

The pre-treatment system creates a chromium free conversion coating which bonds with metal surfaces enhancing adhesion and corrosion resistance.

Applications: Steel, Stainless Steel, Galvanized Steel, Aluminum



Pre-Treatment Refill Pouch



### Canister w/100 Wipe Pouch

**5001**  
Easy to use canister with one refill pouch containing 100 pre treatment wipes. Ideal for body shop use.



### Refill Pouch

**5002**  
Refill pouch used with Pre-Treatment canister containing 100 9" x 9" wipes.



### Single Application Wipe

**5003**  
One large 12" x 13" wipe, ideal for large and multiple areas. Easy to use, tear open foil pouch.



### Cut Thru Marker

**5004**  
Excellent for use on small areas, chips, and character lines. Easy to transport design.



### Pre-Treatment Sponge

**5005**  
Ideal for large areas such as complete car/truck panels. Contains 4oz. of pre-treatment chemical and recommended for areas of up to 40 sq. ft.

### Directions:

- 1 Apply pre-treatment chemical to clean, bare metal surface.
- 2 Apply a double application of pre-treatment to each area, ensuring complete wetting of the product on the metal surface.
- 3 This wet layer should be on the surface for approximately 1 minute to form a conversion coating with the metal substrate.
- 4 Allow pre-treatment to completely dry before priming or top-coating. If desired, the use of warm or forced air can be used to accelerate drying.

## PRODUCT INFORMATION

Part No.	Description	Units/Case
5001	Canister/Lid with 100 9" x 9" wipes	2
5002	Refill Pouch with 100 9" x 9" wipes	3
5003	1- 12" x 13" wipe in pouch	24
5004	Felt marker with 1.5 oz. Pre-Treatment solution	12
5005	Scuff sponge with 4 oz. of Pre-Treatment solution	12



To order call (313) 873-8806

RBL Products presents

Eliminates  
dirty air hoses!

Slip-On / Disposable


Keeping  
the spray booth  
clean!

# AIR HOSE "PROTECTIVE SLEEVE"

**One Size Fits 5/16" I.D. & 3/8" I.D. Air Hoses**



"Protective Sleeve"  
2.25" w x 100' L Roll



Inserting 3/8" I.D. air hose w/coupler into  
the "Sleeve"



Taped-off  
"Sleeve" end

**The Air Hose "Protective Sleeve" is a durable, polyethylene film that keeps the air hose clean.**



### Performance Benefits:

- Slips over 5/16" I.D. & 3/8" I.D. Air Hoses.
- The narrow diameter of the "protective sleeve" fits closely to the circumference of the air hose for safe, easy maneuverability of the spray gun line.
- Eliminates wiping off dust, dirt, smeared paint materials, fillers, putties and grease between paint jobs.
- Paint overspray sticks to the "protective sleeve" without flaking off.
- Disposable – When "sleeve" gets dirty, remove from air hose and slip on a new length.
- Anti-Static

**SOLVENT BORNE and WATERBORNE COMPATIBLE**

### Additional Product Uses:

- Use to cover up to 3/8" I.D. air hoses used for spraying truck bedliner applications.
- Use as an antenna masker.

### Directions:

1. Cut Air Hose "Protective Sleeve" to desired length.
2. Using an air gun, blow air into one end of the "protective sleeve" to open up the sleeve diameter.



3. Feed (push) the end of the air hose into the "protective sleeve" keeping the air hose and sleeve extended on a flat horizontal plane.  
NOTE: Avoid angling the end of the air hose into the interior wall of the "protective sleeve."
4. Tape off the "sleeve" ends around the air hose.

Part No.	Description	Size & Roll Length	Units/Case
135	Air Hose "Protective Sleeve" (For 5/16" I.D. & 3/8" I.D. Air Hoses)	2.25" w x 100'	4 Rolls



6040 Russell • Detroit, MI 48211  
(313) 873-8806 • (313) 873-8809 (FAX)  
1-800-584-8111  
www.rblproducts.com

RBL Products presents

Multi-Hose  
Protection!

# Slip-On / Disposable AIR HOSE "SLEEVE"

Keeping  
the spray booth  
clean!

**A durable, protective polyethylene film sleeve that keeps air hoses clean**



Air Hose "Sleeve" Roll – 3" W x 100' L

### PAINT REFINISH

Slips on over 3/8" spray gun and breathing air-supply hoses.



Inserting into "Sleeve"



Side-by-Side Hoses

### INDUSTRIAL

For up to 5/8" hose with 1/2" coupler.



Inserting into "Sleeve"



Taped-off "Sleeve" end

### Performance Benefits:

- The diameter of the "sleeve" fits closely to the circumference of the hose for safe, easy maneuverability.
- Eliminates wiping off dust, dirt, grease and other contaminants from the hose.
- Paint overspray sticks to the "protective sleeve" without flaking off.
- Disposable – When "sleeve" gets dirty, remove from air hose and slip on a new length.
- Anti-Static

### SOLVENT BORNE and WATERBORNE COMPATIBLE

### Directions:

1. Cut Air Hose "Sleeve" to desired length.
2. Using an air gun, blow air into one end of the "sleeve" to open up the sleeve diameter.



3. Feed (push) the end of the hose into the "protective sleeve" keeping the hose and sleeve extended on a flat horizontal plane.  
NOTE: Avoid angling the end of the air hose into the interior wall of the "protective sleeve."
4. When necessary tape off the "sleeve" ends around the hose.

Part No.	Description	Size & Roll Length	Units/Case
133	Air Hose "Sleeve"	3" W x 100' L Roll	4 Rolls



6040 Russell • Detroit, MI 48211  
(313) 873-8806 • (313) 873-8809 (FAX)  
1-800-584-8111  
www.rblproducts.com

# Disposable SOLVENT RECYCLING LINER BAGS

LINER BAGS protect distillation tanks and eliminate messy clean-up.



5 Gallon Liner Bag



Inserting bag into distillation tank.



Securing bag with retaining ring.



Collected dirty, gummy solvent debris ready for disposal.  
(In accordance with local regulations.)



5 Gallon & 20 Gallon Liner Bags

Heat Resistant to 400°F

## Product Performance Benefits

- ◆ **Tough, durable bag construction**
- ◆ **Easy to use:**  
Follow solvent recycler manufacturer's directions for removal and disposal of liner bag. Then install new liner bag.
- ◆ **LINER BAGS are necessary:**  
Often the solvent debris remains wet and gummy after distillation. It does not dry hard. LINER BAGS protect the distillation tank, eliminate messy clean-up and enable fast, safe removal and disposal of solvent debris.
- ◆ **Heat resistant up to 400°F (204°C)**



Solvent Recycler

## Product Information

Part No.	Description	Units/Case
230	5 Gallon LINER BAG – 20”L x 20”W	10
231	5 Gallon LINER BAG – 24”L x 19”W	10
232	20 Gallon LINER BAG – 32”L x 28”W	5

No. 230 fits Uni-Ram and other 5-gallon solvent recyclers requiring 20”L x 20”W size bags.

No. 231 fits Sidewinder, Doumar and other 5-gallon solvent recyclers requiring 24”L x 19”W size bags.

# TRACING / MASKING FILM

## Clear Tracing/Masking Film

For drawing, lettering, stencils & templates and masking off adjacent areas.

### Product Performance Benefits

- ◆ Clear, transparent, self-adhering film – easy to see through
- ◆ Light, tacky adhesive - no adhesive transfer
- ◆ Can draw, sketch and letter directly on film
- ◆ Repositionable for exact masking
- ◆ Solvent resistant
- ◆ Non-static
- ◆ Cuts easily




Draw, sketch and letter directly on film using ball point pen, permanent marker or grease pencil.



2" width #277    6" width #275    12" width #271    18" width #272

**Seeing the background surface under the film improves the accuracy of laying down drawing lines and cutting out the sharper details of design.**




The transparent workability of the Tracing Film compared to the opacity of tracing paper. (Fine line tape is under paper and film.)



Transparent film improves the accuracy of cutting out sharper details (i.e., cutting the film along the edge of the fine line tape.)

**2" width is ideal for overlapping tight and multi-radius contours**



2" width tape masking parabolic curve on sport racing helmet.

### Ideal for:


- Custom Paint and Graphics • Automotive Art
- Street Rods • Motorcycle Art • Truck Lettering
- Sport Helmets • Sign Lettering • Air Brushing

### Product Information


Part No.	Description/Size	Units/Case
271	12" x 24' Roll Tracing/Masking Film Roll	1 Roll
272	18" x 24' Roll Tracing/Masking Film Roll	1 Roll
275	6" x 24' Roll Tracing/Masking Film Roll	1 Roll
277	2" x 24' Roll Tracing/Masking Film Roll	6 Rolls

# TRACING / MASKING PAPER

For tracing and cutting out design patterns and for masking off adjacent areas.



Drawing on the paper



Using an X-acto knife to cut out design



Matte Finish

## Ideal for:

Custom Paint and Graphics • Automotive Art • Motorcycle Art  
Street Rods • Truck Lettering • Sport Helmets • Sign Lettering • Air Brushing


Available in 12" and 18" widths.

## Product Information

Part No.	Description/Size	Units/Case
371	12" x 24' Roll Tracing/Masking Paper Roll1 Roll	
372	18" x 24' Roll Tracing/Masking Paper Roll1 Roll	
373	12" x 100' Roll Tracing/Masking Paper Roll1 Roll	
374	18" x 100' Roll Tracing/Masking Paper Roll1 Roll	

# GREEN FINE-LINE TAPE CONTOURING TAPE

Superior outlining flexibility enables tight cornering and curving and gives a clean masking line.



Will not bunch or lift on sharp corners or curves.


Strong adhesive system resists solvent penetration but leaves no adhesive transfer.

## Product Information

Part No.	Description	Units/Case
156	1/2" x 36 yards Green Fine Line	12
157	3/4" x 36 yards Green Fine Line	12
158	1/8" x 36 yards Green Fine Line	12
159	1/4" x 36 yards Green Fine Line	12

# 1/16" CREPE FINE-LINE TAPE


The narrowest of narrow crepe tape widths. Ideal for customizing, outlining flames and detailed designs on motorcycles, sport helmets, show cars, etc.



Will tightly turn the sharpest bends without breaking

Increased adhesion prevents lifting at the edges, even on the tightest turns

No adhesive transfer



## Product Information


Part No.	Description	Units/Case
182	1/16" x 60 yds. Roll	12 Rolls
180	1/8" x 60 yds. Roll	12 Rolls
181	1/4" x 60 yds. Roll	12 Rolls

# Self-Adhering SEAM SEALANT TAPE

The ultimate seam sealant system for exterior and interior sealant applications.

**Immediately Paintable**

A flexible, self-adhering seam sealant tape that combines a waterproof, heat resistant bitumen compound reinforced by a protective aluminum foil covered in a polyester sheath with a release liner against the compound.



**Easy, Fast Sealant Applications:**

**1/2" Exterior Seam Sealant Tape Application**

A seam sealing application on the roof of a step van to prevent water leakage around the rivets at the perimeter of the roof.

Rivets

Sealant tape gives a water-proofing, self-sealing protective cover over the rivets & into the crevice of the seam.

## Product Information

Part No.	Description	Units/Case
217	Seam Sealant Tape Roll 1" x 32' (25mm x 10m)	6

Exterior aluminum seam sealant tape matches surface appearance on trailer roofs. Covers and seals around rivets to prevent water leakage.

**1" Interior Seam Sealant Applications**

C-Pillar-Patch

Trunk Gutter Seam-Strip

Tail Lamp-Patch

Upper Trunk Gutter-Patch

OEM Sealant Tape Trunk Gutter Applications

1" Interior Seam Sealant Tape also duplicates OEM sealant tape applications on door jambs.

# ULTRA-BOND DOUBLE-SIDED / ACRYLIC FOAM (GRAY) AUTOMOTIVE ATTACHMENT TAPE

For superior, high quality automotive bonding & mounting

## Product Performance Benefits


- ◆ OEM strong bond/ fastening adhesion
- ◆ Durable weatherability
- ◆ Excellent absorption of impact or shock
- ◆ Pliant gap filling conformability
- ◆ Soft flexibility for curves and contour applications

## For the attachment of:

- ◆ Medium & heavyweight trim components
- ◆ Rocker Panels
- ◆ Wheel Flares
- ◆ Bumper Trim
- ◆ Body trim & side moldings
- ◆ Fascia Strips
- ◆ Claddings
- ◆ Interior Accessories


## Product Information

Part No.	Description	Units/Case
153	Gray Tape - 1/2" x 20 yds. x .045" (45 mil)	6
154	Gray Tape - 7/8" x 20 yds. x .045" (45 mil)	6
155	Gray Tape - 1/4" x 20 yds. x .045" (45 mil)	6




Ultra-Bond Double-Sided Attachment Tape with release liner.

Rocker Panels



Fascia Strips





# Foaming Detail Wax / Clay Promo Kit

## Mitt



## Disc



- Wax and Decontaminate in One Step
- Save Time and Money
- Ultra Glossy Finish
- Smooth Feel

### System Includes:

Kit: #12040 (Disc) OR #12041 (Mitt)  
 Foamer Sprayer (small): #3132FQ  
 Clay Mitt (Fine Cut): # 12018 (In kit #12041)  
 Clay Disc w/ Hand Pad #12019 (In kit #12040)  
 Microfiber Cloth: #12020



RBL Products • 6040 Russell • Detroit, MI 48211 • [www.RBLProducts.com](http://www.RBLProducts.com)



# CLAY-MITT/DISC

*Fine Cut – Removes Surface Contamination*

- Ultra smooth finish
- Fast, safe, easy to use
- Removes sap, bug residue, rail dust, break dust, salt, paint overspray, road grime
- Great on paint, glass and chrome



**CLAY MITT**  
RBL #12018



Comes with  
RBL #12017 Hand Pad



**CLAY DISC**  
RBL #12019



1 Lubricate work surface



2 Rub RBL Clay Mitt/Disc over area to remove surface contamination



3 Wipe surface dry

Works best with RBL #12026



Foaming Detail Wax

RBL Products • 6040 Russell • Detroit, MI 48211 • [www.RBLProducts.com](http://www.RBLProducts.com)



# ALCOHOL WIPES TO REDUCE BACTERIA & GERMS THAT CAN CAUSE ILLNESS & DISEASE



## ALCOHOL WIPES

RBL Products and Kwik Paint Products have expanded our Alcohol Wipes line to include 25 wipe travel sized pouches for easy “on the go” protection.

Made with the USP Grade Alcohol and Deionized Water, our 6” x 9” wipes can clean and sanitize quickly and effectively. Also, we are registered with the Food & Drug Administration to give you that extra peace of mind.

<b>Drug Facts</b>	
<b>Active Ingredient</b>	<b>Purpose</b>
Isopropyl Alcohol 75% 25 Packs .....	Antiseptic
Isopropyl Alcohol 85% 150 Canister.....	Antiseptic
<b>Use[s]</b>	
Hand sanitizer wipes to help reduce bacteria that can potentially cause disease. For use when soap and water are not available.	
<b>Warnings</b>	
For external use only. Flammable. Keep away from heat or flame. Causes serious eye irritation.	
<b>Do not use</b>	
<ul style="list-style-type: none"> <li>• in children less than 2 months of age.</li> <li>• on open skin wounds</li> </ul>	
<b>When Using This Product</b> keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.	
<b>Stop use and ask a doctor</b> if irritation or rash occurs. These may be signs of a serious condition	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact Poison Control Center right away.	
<b>Directions:</b>	
<ul style="list-style-type: none"> <li>• Wipe hands thoroughly; discard after use.</li> </ul>	
<b>Other Information</b>	
<ul style="list-style-type: none"> <li>• Store at 15 - 30°C (59-86°F)</li> <li>• Avoid freezing and excessive heat above 40°C (104°F)</li> </ul>	
<b>Inactive Ingredients</b>	
Deionized water	
<b>FDA Number:</b>	
19S-150:	79962-001-01
19P-150:	79962-001-02
19S-25Pack:	79962-002-02

ISOPROPYL ALCOHOL WIPES			
SKU	Count	Type	Case Quantity
19S-25Pack	25	Pack	100
19S-150	150	Canister	6
19P-150	150	Pouch	6

**“BREATHABLE”**

High Performance

# Two-Tone Paint Masking Film

*For use with high solids paint systems on heavy duty commercial fleet and industrial spray applications of trucks, trailers, buses, aircraft, railcars and boats.*

*Allows masking over first color coat within 60 minutes of spraying on two-tone applications.  
Reduces average 3-4 hours wait between spraying first and second color coats to less than 60 minutes!*


## The “breathable” advantage!

**Paint the first color stripe (blue).**

**Wait 60 minutes.**

**Mask over the blue stripe with the “breathable” film.**

**Then paint the second color stripe (red).**



### Product Performance Benefits

- ◆ Superior adhesion of paint to film, resists paint flaking.
- ◆ High temperature resistance (up to 325°F / 162.7°C).
- ◆ Resists solvent bleed-thru and paint penetration.
- ◆ Easy to handle, excellent flexing, draping and conformability.
- ◆ Aggressive “cling” of film to substrate.
- ◆ Puncture and tear resistant.
- ◆ Excellent adhesion of tapes to masking film.
- ◆ Anti-static.

### Product Information

Part No.	Description/Size	Units/Case
380	12' x 450' roll (1.7 mil) Anti-static - Corona treated - Polypropylene film	1 roll
382	16' x 450' roll (1.7 mil) Anti-static - Corona treated - Polypropylene film	1 roll