*Printing date 03/14/2018* 



Reviewed on 06/21/2017

## **1** Identification

- · Product identifier
- · Trade name: 38351, 38354 Plastic / Leather Prep
- · Article number: 38351, 38354
- · Application of the substance / the mixture Coating
- $\cdot$  Details of the supplier of the safety data sheet

• Manufacturer/Supplier: SEM Products Inc. 1685 Overview Drive Rock Hill, SC 29730 803 207 8225

· Information department:

cust\_care@semproducts.com : SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730 : phone 1-800-831-1122, M - TH 7am - 4pm EDT

• Emergency telephone number: CHEMTREC 1-800-424-9300

## 2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS08 Health hazard

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: Solvent naphtha (petroleum), light aliph.
Hazard statements H225 Highly flammable liquid and vapor. H340 May cause genetic defects. H350 May cause cancer. H304 May be fatal if swallowed and enters airways.
Precautionary statements P201 Obtain special instructions before use.

(Contd. on page 2)



Reviewed on 06/21/2017

Printing date 03/14/2018

Trade name: 38351, 38354 Plastic / Leather Prep

	(Contd. of page 1)
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P331	Do NOT induce vomiting.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
	shower.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

# **3** Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture: consisting of the following components. Weight percentages

· Dangerous components:

64742-89-8 Solvent naphtha (petroleum), light aliph.

## **4 First-aid measures**

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.

(Contd. on page 3)

70-100%

<sup>-</sup> USA

Printing date 03/14/2018

Reviewed on 06/21/2017

Trade name: 38351, 38354 Plastic / Leather Prep

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- $No\ further\ relevant\ information\ available.$

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### · Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

## 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- No special measures required.

Ensure good ventilation/exhaustion at the workplace.

- Open and handle receptacle with care.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.

(Contd. on page 4)

USA

Printing date 03/14/2018

Reviewed on 06/21/2017

Trade name: 38351, 38354 Plastic / Leather Prep

(Contd. of page 3)

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• *Specific end use(s) No further relevant information available.* 

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.* • *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 03/14/2018

Reviewed on 06/21/2017

SEM

Trade name: 38351, 38354 Plastic / Leather Prep

• Eye protection:

(Contd. of page 4)



Tightly sealed goggles

#### \*

9 Physical and chemical properties

General Information	
Appearance:	<b>7</b> · · · <b>1</b>
Form: Color:	Liquid
Odor:	According to product specification Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	20 °C
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C:	14 hPa
Density at 20 °C:	0.745 g/cm <sup>3</sup>
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): noi aeierminea.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	100.0.0/
Organic solvents:	100.0 %
VOC content:	99.99 % 744.9 g/l / 6.22 lb/gl
Solids content:	0.0 %
	(Contd. on pag



Page 6/10

(Contd. of page 5)

Reviewed on 06/21/2017

Trade name: 38351, 38354 Plastic / Leather Prep

• Other information

Printing date 03/14/2018

No further relevant information available.

#### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: The product can cause inheritable damage.* 

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

USA



Reviewed on 06/21/2017

Trade name: 38351, 38354 Plastic / Leather Prep

· Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, ADR, IMDG, IATA	UN1993
· UN proper shipping name	
DOT ADR	Flammable liquids, n.o.s. (Solvent naphtha (petroleum), light aliph.) 1993 Flammable liquids, n.o.s. (Solvent naphtha (petroleum), ligh aliph.), special provision 640D
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Solvent naphtha (petroleum), ligh aliph.)
Transport hazard class(es)	
DOT	
· Class · Label	3 Flammable liquids 3
· ADR, IMDG, IATA	
· Class	3 Flammable liquids
Label	3
· Packing group · DOT, ADR, IMDG, IATA	II
, , , ,	
Environmental hazards:	
-	No
· Environmental hazards: · Marine pollutant: · Special precautions for user	Warning: Flammable liquids
Marine pollutant: Special precautions for user EMS Number:	Warning: Flammable liquids F-E, <u>S-E</u>
Marine pollutant: Special precautions for user EMS Number: Stowage Category	Warning: Flammable liquids F-E, <u>S-E</u> B
Marine pollutant: Special precautions for user EMS Number:	Warning: Flammable liquids F-E, <u>S-E</u> B

(Contd. of page 6)



Printing date 03/14/2018

Reviewed on 06/21/2017

Trade name: 38351, 38354 Plastic / Leather Prep

Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· ADR	
$\cdot$ Excepted quantities (EQ)	Code: E2
· · · · · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· IMDG	
Limited quantities (LQ)	1L
$\cdot Excepted$ quantities ( $\widetilde{E}Q$ )	Code: E2
· · · · · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S., SPECIAL PROVISIO
-	640D (SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH.),
	II

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

 $\cdot$  Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

(Contd. on page 9)



SEM

Page 9/10


Reviewed on 06/21/2017

Trade name: 38351, 38354 Plastic / Leather Prep	

NIOSH-Ca (Na	(Contd. of page tional Institute for Occupational Safety and Health)
	redients is listed.
	ents The product is classified and labeled according to the Globally Harmonized System (GHS)
Hazard pictogra	ams
GHS02 GHS	508
Signal word Da	nger
	ining components of labeling:
	(petroleum), light aliph.
Hazard stateme	
	mmable liquid and vapor.
	e genetic defects.
H350 May caus	
	tal if swallowed and enters airways.
<b>Precautionary</b> s P201	
P202	Obtain special instructions before use.
P210	Do not handle until all safety precautions have been read and understood.
P233	Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	
P280	Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P331	Do NOT induce vomiting.
	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wat
$1303\pm1301\pm1$	shower.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation
1 201	regulations.
National month	
National regula	uions: sification according to Decree on Hazardous Materials:
	azardous material group III (dangerous).
	out limitation of use:
Workers are no	out limitation of use: t allowed to be exposed to the hazardous carcinogenic materials contained in this prepa be made by the authorities in certain cases

*Exceptions can be made by the authorities in certain cases.* • *Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)





Page 10/10

Reviewed on 06/21/2017

#### Trade name: 38351, 38354 Plastic / Leather Prep

(Contd. of page 9)

USA

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Rita Joiner (rjoiner@semproducts.com)
- · Date of preparation / last revision 03/14/2018 / 11

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Muta. 1B: Germ cell mutagenicity - Category 1B Carc. 1B: Carcinogenicity - Category 1B Asp. Tox. 1: Aspiration hazard - Category 1 • \* Data compared to the previous version altered.