



### Mueller Streamline Co. Headquarters

150 Schilling Blvd  
Suite 201  
Collierville, Tennessee 38017  
United States  
Phone: 901 753 3200

### Mueller Streamline Co. International

525 Okeechobee Blvd  
Suite 860  
West Palm Beach, FL 33401  
United States  
Phone: 561 273 8300

## ITEM # RP02715, ACR PRESS 90° ELBOW LR, P X P, 1/4" OD

Streamline® is the best known, most trusted name in the industry—with a nearly 100-year history of providing the best-in-class products you need to work more efficiently and productively. The ACR Press System is the latest example of the industry-leading innovation and commitment to customer needs that make Streamline® the standard for excellence.



[Details](#) | [Specifications](#) | [Dimensions](#) | [Packaging](#)

#### Details

Approved for use with Type ACR, L, K hard and soft copper tube.

Industry-leading Two Ring Advanced Press (T.R.A.P.) Technology

DuoSeal™ Ring Design provides superior sealing and joint strength with 200% more surface contact.

TrapZone™ Leak Barrier innovative vacuum-zone further ensures leak protection.

Force360™ Press Contour provides more uniform joint compression and sealing performance.

Tri-Lock™ Press Profile creates superior joint strength and pressure handling capabilities.

Compatible with R410A and other commonly used refrigerant gases and oils.

Proprietary Streamline® ACR Press Jaws available from Milwaukee® Tool.

Compatible with leading full-size press tools on the market.

Includes a 10-year limited warranty against defects in material and workmanship.

## Specifications

<b>Weight</b>	0.04 lb
<b>Material</b>	COPPER
<b>Operating Temperature [Min]</b>	-40 °F
<b>Operating Temperature [Max]</b>	250 °F
<b>Operating Pressure [Max]</b>	700 psi
<b>End Type</b>	ACR Press
<b>End Size</b>	1/4 in
<b>Second End Type</b>	ACR Press
<b>Second End Size</b>	1/4 in

## Dimensions

<b>Overall Length</b>	1.71 in
<b>Overall Height</b>	1.71 in
<b>Overall Width</b>	0.48 in
<b>Dimension X</b>	0.51 in

## Packaging

<b>Qty Pcs / Bag</b>	5
<b>Master Qty Pcs / Box</b>	750
<b>UPC Code</b>	685768448860