



Mueller Streamline Co. Headquarters

150 Schilling Blvd
Suite 201
Collierville, Tennessee 38017
United States
Phone: 901 753 3200

Mueller Streamline Co. International

525 Okeechobee Blvd
Suite 860
West Palm Beach, FL 33401
United States
Phone: 561 273 8300

ITEM # RP02747, ACR PRESS 90° ELBOW LR, P X P, 1 1/8 " OD

Streamline® is the best known, most trusted name in the industry—with a nearly 100-year history of providing the best-in-class products you need to work more efficiently and productively. The ACR Press System is the latest example of the industry-leading innovation and commitment to customer needs that make Streamline® the standard for excellence.



[Details](#) | [Specifications](#) | [Dimensions](#) | [Packaging](#)

Details

Approved for use with Type ACR, L, K hard and soft copper tube.

Industry-leading Two Ring Advanced Press (T.R.A.P.) Technology

DuoSeal™ Ring Design provides superior sealing and joint strength with 200% more surface contact.

TrapZone™ Leak Barrier innovative vacuum-zone further ensures leak protection.

Force360™ Press Contour provides more uniform joint compression and sealing performance.

Tri-Lock™ Press Profile creates superior joint strength and pressure handling capabilities.

Compatible with R410A and other commonly used refrigerant gases and oils.

Proprietary Streamline® ACR Press Jaws available from Milwaukee® Tool.

Compatible with leading full-size press tools on the market.

Includes a 10-year limited warranty against defects in material and workmanship.

Specifications

| | |
|------------------------------------|-----------|
| Weight | 0.39 lb |
| Material | COPPER |
| Operating Temperature [Min] | -40 °F |
| Operating Temperature [Max] | 250 °F |
| Operating Pressure [Max] | 700 psi |
| End Type | ACR Press |
| End Size | 1 1/8 in |
| Second End Type | ACR Press |
| Second End Size | 1 1/8 in |

Dimensions

| | |
|-----------------------|---------|
| Overall Length | 3.51 in |
| Overall Height | 3.51 in |
| Overall Width | 1.50 in |
| Dimension X | 1.30 in |

Packaging

| | |
|-----------------------------|--------------|
| Qty Pcs / Bag | 2 |
| Master Qty Pcs / Box | 60 |
| UPC Code | 685768448877 |