

# MegaPressG



2.2



## MegaPressG

Viega MegaPressG with an HNBR sealing element is the first press fitting system for carbon steel pipe approved for use in gas and fuel oil applications. Viega MegaPressG is ideal for industrial, commercial and residential applications and performs well in both new installations and retrofit projects. Tested to the strictest standards in North America, Viega MegaPressG joins carbon steel pipe reliably through the engineered design of the fittings and a battery-powered press tool. Not approved for use with potable water.

### FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a graphite separator ring for sizes 2½" to 4"
- Approved for more applications than any other carbon steel pipe press fitting system
- Suitable for use with ASTM Schedule 5 to Schedule 40 carbon steel pipe in accordance with AHJ requirements
- Corrosion-resistant zinc nickel coating
- More than 200 engineered fitting configurations from ½" to 4"
- Approved for underground applications in accordance with code and local AHJ
- The same hanger and support requirements as threaded systems
- Smart Connect technology provides installers added confidence in their ability to ensure secure connections

### CODES AND STANDARDS

- 49CFR192: Subparts B-Materials; F-Joining of Materials other than by welding; I-Requirements for Corrosion Control; and Subpart J - Test Requirements
- ASME B31: Code for Pressure Piping
- ASME B31.1: Power Piping
- ASME B31.3: Process Piping
- ASME B31.9: Building Service Piping
- CAN/CSA-B149.1: Natural Gas and Propane Installation Code
- CPC: California Plumbing Code
- IACS UR P2: Rules for piping design, construction and testing
- IAPMO: PS-117: Press Connections
- IAPMO: Uniform Mechanical Code (UMC)
- IAPMO: Uniform Plumbing Code (UPC)
- ICC: International Fuel Gas Code (IFGC)
- ICC: International Mechanical Code (IMC)
- ICC: International Residential Code (IRC)
- CSA: ANSI LC 4a/CSA 6.32a: Press-Connect Metallic Fittings For Use in Fuel Gas Distribution Systems
- National Building Code of Canada (NBCC)
- NFPA 30: Flammable and Combustible Liquids Code
- NFPA 54/Z223: National Fuel Gas Code
- NFPA 58: Liquefied Petroleum Gas Code

### LISTINGS AND CERTIFICATIONS

- ABS: American Bureau of Shipping Type Approval
- ASTM F3226: Standard Specification for Metallic Press-Connect Fittings for Piping and Tubing Systems
- BV: Bureau Veritas Type Approval
- Canadian Registration Number (CRN): 14541.5 A/B/C
- CSA: ANSI LC 4a/CSA 6.32a: Press-Connect Metallic Fittings for Use in Fuel Gas Distribution Systems
- DNV GL: Det Norske Veritas Germanischer Lloyd Type Approval
- IAPMO: ANSI LC 4a/CSA 6.32a: Press-Connect Metallic Fittings for Use in Fuel Gas Distribution Systems
- IAPMO file 5318
- ICC-ES PMG Product Certificate PMG-1036 (MegaPress G)
- LR: Lloyd's Register Type Approval
- RINA: Registro Italiano Navale
- United States Coast Guard Acceptance Letter 2018-3613

### NOTE

A yellow dot on a Viega MegaPressG fitting indicates Smart Connect technology with an HNBR sealing element.

**Index**

Elbows	82
Tees	83
Adapters	84
Flanges	85
Caps	86
Unions	86
Couplings	87
Reducers	88
Valves	88
Accessories	89

**Elbows**



**Viega MegaPressG 90° elbow**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection  
**Components**  
 HNBR sealing elements  
**Model 6616**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.370	10	<b>25201</b>	12
3/4	3/4	0.503	10	<b>25206</b>	12
1	1	0.811	5	<b>25211</b>	12
1 1/4	1 1/4	1.278	1	<b>25216</b>	12
1 1/2	1 1/2	1.708	1	<b>25221</b>	12
2	2	2.541	1	<b>25226</b>	12



**Viega MegaPressG 90° elbow**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection  
**Components**  
 HNBR sealing elements  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator  
**Model 6616XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.306	1	<b>28600</b>	12
3	3	4.668	1	<b>28605</b>	12
4	4	7.597	1	<b>28610</b>	12



**Viega MegaPressG 90° street elbow**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection, street  
**Components**  
 HNBR sealing element  
**Model 6616.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.379	10	<b>26051</b>	12
3/4	3/4	0.531	10	<b>26056</b>	12
1	1	0.838	5	<b>26061</b>	12
1 1/4	1 1/4	1.300	1	<b>26066</b>	12
1 1/2	1 1/2	1.790	1	<b>26071</b>	12
2	2	2.596	1	<b>26076</b>	12



**Viega MegaPressG 90° street elbow**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection, street  
**Components**  
 HNBR sealing element  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator  
**Model 6616.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.242	1	<b>28615</b>	12
3	3	4.421	1	<b>28620</b>	12
4	4	7.178	1	<b>28625</b>	12



**Viega MegaPressG 45° elbow**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection  
**Components**  
 HNBR sealing elements  
**Model 6626**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.309	10	<b>25231</b>	12
3/4	3/4	0.410	10	<b>25236</b>	12
1	1	0.655	5	<b>25241</b>	12
1 1/4	1 1/4	1.047	1	<b>25246</b>	12
1 1/2	1 1/2	1.389	1	<b>25251</b>	12
2	2	1.951	1	<b>25256</b>	12



**Viega MegaPressG 45° elbow**  
**Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

**Components**

HNBR sealing elements

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

**Model 6626XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.482	1	<b>28630</b>	12
3	3	3.471	1	<b>28635</b>	12
4	4	5.686	1	<b>28640</b>	12



**Viega MegaPressG 45° street elbow**  
**Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, street

**Components**

HNBR sealing element

**Model 6626.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.312	10	<b>26101</b>	12
¾	¾	0.428	10	<b>26106</b>	12
1	1	0.677	5	<b>26111</b>	12
1¼	1¼	1.058	1	<b>26116</b>	12
1½	1½	1.435	1	<b>26121</b>	12
2	2	2.094	1	<b>26126</b>	12



**Viega MegaPressG 45° street elbow**  
**Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, street

**Components**

HNBR sealing element

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

**Model 6626.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.380	1	<b>28645</b>	12
3	3	3.258	1	<b>28650</b>	12
4	4	5.356	1	<b>28655</b>	12

**Tees**



**Viega MegaPressG tee**  
**Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

**Components**

HNBR sealing elements

**Model 6618**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.507	5	<b>25301</b>	12
¾	¾	½	0.639	5	<b>25331</b>	12
¾	¾	¾	0.679	5	<b>25306</b>	12
1	1	½	0.917	5	<b>25336</b>	12
1	1	¾	0.957	5	<b>25341</b>	12
1	1	1	1.031	5	<b>25311</b>	12
1¼	1¼	½	1.355	1	<b>25491</b>	12
1¼	1¼	¾	1.406	1	<b>25496</b>	12
1¼	1¼	1	1.477	1	<b>25351</b>	12
1¼	1¼	1¼	1.644	1	<b>25316</b>	12
1½	1½	½	1.752	1	<b>25361</b>	12
1½	1½	¾	1.790	1	<b>25366</b>	12
1½	1½	1	1.878	1	<b>25371</b>	12
1½	1½	1¼	2.028	1	<b>25376</b>	12
1½	1½	1½	2.138	1	<b>25321</b>	12
2	2	½	2.526	1	<b>25381</b>	12
2	2	¾	2.444	1	<b>25386</b>	12
2	2	1	2.513	1	<b>25391</b>	12
2	2	1¼	2.645	1	<b>25396</b>	12
2	2	1½	2.755	1	<b>25401</b>	12
2	2	2	2.898	1	<b>25326</b>	12



**Viega MegaPressG tee**

**Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

**Components**

HNBR sealing elements

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

**Model 6618XL**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1	2.358	1	<b>28910</b>	12
2½	2½	1¼	2.729	1	<b>28905</b>	12
2½	2½	1½	2.821	1	<b>28675</b>	12
2½	2½	2	3.246	1	<b>28680</b>	12
2½	2½	2½	3.369	1	<b>28660</b>	12
3	3	1¼	3.577	1	<b>28695</b>	12
3	3	1½	3.753	1	<b>28690</b>	12
3	3	2	4.077	1	<b>28685</b>	12
3	3	2½	4.256	1	<b>28700</b>	12
3	3	3	4.796	1	<b>28665</b>	12
4	4	1½	5.539	1	<b>28705</b>	12
4	4	2	5.953	1	<b>28710</b>	12
4	4	2½	6.325	1	<b>28715</b>	12
4	4	3	6.727	1	<b>28720</b>	12
4	4	4	7.994	1	<b>28670</b>	12



**Viega MegaPressG tee**

**Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, female pipe thread

**Components**

HNBR sealing elements

**Model 6617.2**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.613	5	<b>25406</b>	12
¾	¾	¾	0.639	5	<b>25481</b>	12
1	1	½	0.886	5	<b>25411</b>	12
1	1	¾	0.915	5	<b>25416</b>	12
1¼	1¼	½	1.344	1	<b>25486</b>	12
1¼	1¼	¾	1.349	1	<b>25506</b>	12
1¼	1¼	1	1.444	1	<b>25501</b>	12
1½	1½	½	1.706	1	<b>25436</b>	12
1½	1½	¾	1.741	1	<b>25441</b>	12
1½	1½	1	1.929	1	<b>25446</b>	12
1½	1½	1¼	1.829	1	<b>25451</b>	12
2	2	½	2.358	1	<b>25456</b>	12
2	2	¾	2.391	1	<b>25461</b>	12
2	2	1	2.535	1	<b>25466</b>	12
2	2	1¼	2.446	1	<b>25471</b>	12
2	2	1½	2.601	1	<b>25476</b>	12



**Viega MegaPressG tee**

**Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, female pipe thread

**Components**

HNBR sealing elements

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

**Model 6617.2XL**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	2.244	1	<b>28725</b>	12
3	3	¾	3.097	1	<b>28730</b>	12
4	4	¾	4.501	1	<b>28735</b>	12

**Adapters**



**Viega MegaPressG adapter**

**Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, male pipe thread

**Components**

HNBR sealing element

**Model 6611**

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.227	10	<b>25101</b>	12
¾	¾	0.313	10	<b>25106</b>	12
1	1	0.474	5	<b>25111</b>	12
1¼	1¼	0.767	5	<b>25116</b>	12
1½	1½	1.069	1	<b>25121</b>	12
2	2	1.433	1	<b>25126</b>	12



**Viega MegaPressG adapter**  
**Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, male pipe thread

**Components**

HNBR sealing element

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

**Model 6611XL**

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.719	1	<b>28740</b>	12
3	3	2.338	1	<b>28745</b>	12
4	4	4.119	1	<b>28750</b>	12



**Viega MegaPressG adapter**  
**Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, female pipe thread

**Components**

HNBR sealing element

**Model 6612**

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.246	10	<b>25131</b>	12
¾	½	0.291	10	<b>25576</b>	12
¾	¾	0.315	10	<b>25136</b>	12
1	½	0.441	10	<b>25581</b>	12
1	¾	0.441	5	<b>25586</b>	12
1	1	0.538	5	<b>25141</b>	12
1¼	½	0.660	1	<b>25591</b>	12
1¼	¾	0.670	1	<b>25596</b>	12
1¼	1	0.749	1	<b>25601</b>	12
1¼	1¼	0.662	5	<b>25146</b>	12
1½	½	0.827	1	<b>25606</b>	12
1½	¾	0.860	1	<b>25611</b>	12
1½	1	0.959	1	<b>25616</b>	12
1½	1¼	0.849	1	<b>25621</b>	12
1½	1½	0.948	1	<b>25151</b>	12
2	½	1.098	1	<b>25626</b>	12
2	¾	1.124	1	<b>25631</b>	12
2	1	1.225	1	<b>25636</b>	12
2	1¼	1.157	1	<b>25641</b>	12
2	1½	1.190	1	<b>25646</b>	12
2	2	1.333	1	<b>25156</b>	12



**Viega MegaPressG adapter**  
**Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, female pipe thread

**Components**

HNBR sealing element

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

**Model 6612XL**

P	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.827	1	<b>28755</b>	12
3	3	2.354	1	<b>28760</b>	12
4	4	3.436	1	<b>28765</b>	12

**Flanges**



**Viega MegaPressG flange**  
**Smart Connect technology**

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

**Components**

HNBR sealing element

**Model 6659.5**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
½	4	2¾	1.393	1	<b>25761</b>	12
¾	4	2¾	1.845	1	<b>25766</b>	12
1	4	3⅛	2.455	1	<b>25771</b>	12
1¼	4	3½	2.711	1	<b>25776</b>	12
1½	4	3⅝	4.011	1	<b>25781</b>	12
2	4	4¾	5.400	1	<b>25786</b>	12

BP = bolt pattern  
BPd = bolt pattern diameter



**Viega MegaPressG flange**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection  
**Components**  
 HNBR sealing element  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator  
**Model 6659.5XL**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	8.426	1	<b>28875</b>	12
3	4	6	9.881	1	<b>28880</b>	12
4	8	7½	13.874	1	<b>28885</b>	12

BP = bolt pattern  
 BPd = bolt pattern diameter

## Caps



**Viega MegaPressG cap**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection  
**Components**  
 HNBR sealing element  
**Model 6656**

P	Wt [lb]	Quantity	Part No	DG
½	0.203	10	<b>25731</b>	12
¾	0.264	10	<b>25736</b>	12
1	0.397	5	<b>25741</b>	12
1¼	0.617	1	<b>25746</b>	12
1½	0.804	1	<b>25751</b>	12
2	1.080	1	<b>25756</b>	12



**Viega MegaPressG cap**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection  
**Components**  
 HNBR sealing element  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator  
**Model 6656XL**

P	Wt [lb]	Quantity	Part No	DG
2½	1.309	1	<b>28860</b>	12
3	1.708	1	<b>28865</b>	12
4	2.746	1	<b>28870</b>	12

## Unions



**Viega MegaPressG union**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection  
 - Ground joint  
**Components**  
 HNBR sealing elements  
**Model 6660**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.758	5	<b>25701</b>	12
¾	¾	1.212	5	<b>25706</b>	12
1	1	1.441	5	<b>25711</b>	12
1¼	1¼	2.424	1	<b>25716</b>	12
1½	1½	2.689	1	<b>25721</b>	12
2	2	4.188	1	<b>25726</b>	12



**Viega MegaPressG union**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection, female pipe thread  
 - Ground joint  
**Components**  
 HNBR sealing element  
**Model 6662**

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.675	5	<b>25651</b>	12
¾	¾	1.107	5	<b>25656</b>	12
1	1	1.358	5	<b>25661</b>	12
1¼	1¼	2.343	1	<b>25666</b>	12
1½	1½	2.226	1	<b>25671</b>	12
2	2	3.295	1	<b>25676</b>	12



**Couplings**



**Viega MegaPressG coupling**  
**With stop**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection  
**Components**  
 HNBR sealing elements  
**Model 6615**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.260	10	<b>25001</b>	12
3/4	3/4	0.353	10	<b>22009</b>	12
1	1	0.514	5	<b>25011</b>	12
1 1/4	1 1/4	0.860	1	<b>25016</b>	12
1 1/2	1 1/2	1.124	1	<b>25021</b>	12
2	2	1.433	1	<b>25026</b>	12



**Viega MegaPressG coupling**  
**With stop**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection  
**Components**  
 HNBR sealing elements  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator  
**Model 6615XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.728	1	<b>28770</b>	12
3	3	2.435	1	<b>28775</b>	12
4	4	3.965	1	<b>28780</b>	12



**Viega MegaPressG coupling**  
**No stop**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection  
**Components**  
 HNBR sealing elements  
**Model 6615.5**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.264	10	<b>25031</b>	12
3/4	3/4	0.339	10	<b>25036</b>	12
1	1	0.511	5	<b>25041</b>	12
1 1/4	1 1/4	0.860	1	<b>25046</b>	12
1 1/2	1 1/2	1.124	1	<b>25051</b>	12
2	2	1.411	1	<b>25056</b>	12



**Viega MegaPressG coupling**  
**No stop**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection  
**Components**  
 HNBR sealing elements  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator  
**Model 6615.5XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.728	1	<b>28785</b>	12
3	3	2.413	1	<b>28790</b>	12
4	4	4.009	1	<b>28795</b>	12



**Viega MegaPressG extended coupling**  
**No stop**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection  
**Components**  
 HNBR sealing elements  
**Model 6615.3**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.348	10	<b>25071</b>	12
3/4	3/4	0.447	10	<b>25076</b>	12
1	1	0.674	5	<b>25081</b>	12
1 1/4	1 1/4	1.031	1	<b>25086</b>	12
1 1/2	1 1/2	1.350	1	<b>25091</b>	12
2	2	1.693	1	<b>25096</b>	12

**Reducers**



**Viega MegaPressG reducer**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Street, press connection  
**Components**  
 HNBR sealing element  
**Model 6615.1**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.276	5	<b>26001</b>	12
1	1/2	0.364	5	<b>26006</b>	12
1	3/4	0.397	5	<b>26011</b>	12
1 1/4	1	0.688	1	<b>26016</b>	12
1 1/2	3/4	0.710	1	<b>26021</b>	12
1 1/2	1	0.793	1	<b>26031</b>	12
1 1/2	1 1/4	0.926	1	<b>26026</b>	12
2	1	1.047	1	<b>26036</b>	12
2	1 1/4	1.168	1	<b>26041</b>	12
2	1 1/2	1.289	1	<b>26046</b>	12



**Viega MegaPressG reducer**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Street, press connection  
**Components**  
 HNBR sealing element  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator  
**Model 6615.1XL**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2 1/2	1	1.210	1	<b>28800</b>	12
2 1/2	1 1/4	1.351	1	<b>28805</b>	12
2 1/2	1 1/2	1.457	1	<b>28810</b>	12
2 1/2	2	1.534	1	<b>28815</b>	12
3	1 1/4	1.809	1	<b>28820</b>	12
3	1 1/2	1.924	1	<b>28825</b>	12
3	2	1.995	1	<b>28830</b>	12
3	2 1/2	2.010	1	<b>28835</b>	12
4	1 1/2	2.980	1	<b>28840</b>	12
4	2	3.130	1	<b>28845</b>	12
4	2 1/2	3.086	1	<b>28850</b>	12
4	3	3.526	1	<b>28855</b>	12



**Viega MegaPressG reducer**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Carbon steel  
 - Press connection  
**Components**  
 HNBR sealing elements  
**Model 6615.2**

P1	P2	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.360	5	<b>25931</b>	12
1	1/2	0.485	5	<b>25936</b>	12
1	3/4	0.511	5	<b>25941</b>	12
1 1/4	3/4	0.743	1	<b>25946</b>	12
1 1/4	1	0.804	1	<b>25951</b>	12
1 1/2	1 1/4	1.080	1	<b>25956</b>	12
2	1 1/4	1.459	1	<b>25961</b>	12
2	1 1/2	1.492	1	<b>25966</b>	12

**Valves**



**New**

**Viega MegaPressG ball valve**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Bronze body, carbon steel press ends  
 - Press connection  
**Components**  
 HNBR sealing elements  
**Model 6675**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.813	1	<b>30600<sup>1</sup></b>	12
3/4	3/4	1.095	1	<b>30605<sup>1</sup></b>	12
1	1	1.713	1	<b>30610<sup>1</sup></b>	12
1 1/4	1 1/4	2.654	1	<b>30615<sup>1</sup></b>	12
1 1/2	1 1/2	3.678	1	<b>30620<sup>1</sup></b>	12
2	2	5.704	1	<b>30625<sup>1</sup></b>	12

<sup>1)</sup> Available soon!



**New**

**Viega MegaPressG ball valve**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Bronze body, carbon steel press ends  
 - Press connection, female pipe thread  
**Components**  
 HNBR sealing element  
**Model 6675.1**

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.692	1	<b>30630<sup>1</sup></b>	12
3/4	3/4	0.930	1	<b>30635<sup>1</sup></b>	12
1	1	1.455	1	<b>30640<sup>1</sup></b>	12
1 1/4	1 1/4	2.255	1	<b>30645<sup>1</sup></b>	12
1 1/2	1 1/2	3.127	1	<b>30650<sup>1</sup></b>	12
2	2	4.849	1	<b>30655<sup>1</sup></b>	12

<sup>1)</sup> Available soon!



New

**Viega MegaPressG ball valve**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Bronze body, carbon steel press ends  
 - Press connection, male pipe thread  
**Components**  
 HNBR sealing element  
**Model 6675.2**

P	MPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.732	1	30660 <sup>1</sup>	12
3/4	3/4	0.987	1	30665 <sup>1</sup>	12
1	1	1.543	1	30670 <sup>1</sup>	12
1 1/4	1 1/4	2.391	1	30675 <sup>1</sup>	12
1 1/2	1 1/2	3.315	1	30680 <sup>1</sup>	12
2	2	5.140	1	30685 <sup>1</sup>	12

<sup>1</sup>) Available soon!



New

**Viega MegaPressG ball valve**  
**Smart Connect technology**  
 - For use with Sch.5 to Sch.40 carbon steel pipe  
 - Bronze body, carbon steel press ends  
 - Press connection, ground joint  
**Components**  
 HNBR sealing element  
**Model 6675.3**

P	GJ	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1.263	1	30690 <sup>1</sup>	12
3/4	3/4	1.893	1	30695 <sup>1</sup>	12
1	1	2.585	1	30700 <sup>1</sup>	12
1 1/4	1 1/4	4.225	1	30705 <sup>1</sup>	12
1 1/2	1 1/2	4.825	1	30710 <sup>1</sup>	12
2	2	7.566	1	30715 <sup>1</sup>	12

GJ = ground joint

<sup>1</sup>) Available soon!

**Accessories**



**Flange bolt set**  
 - For adapter flange  
 - Galvanized carbon steel  
**Components**  
 Bolt, nut, washer  
**Model 2959.7**

L [in]	W [in]	Bolts	Flange	Wt [lb]	Quantity	Part No	DG
2 1/2	1/2	4	1/2, 3/4, 1, 1 1/4, 1 1/2	0.871	1	19748	8
2 3/4	5/8	4	2, 2 1/2, 3	1.572	1	19758	8
2 3/4	5/8	8	4	3.141	1	19763	8



**Viega replacement handle**  
 - For Viega ProPress Zero Lead ball valves and for Viega MegaPressG ball valves  
 - Suitable for Viega ProPress ball valve Model 2971.1ZL, 2971.3ZL, 2971.4ZL, 2971.6ZL, Viega MegaPressG ball valve Model 6675, 6675.1, 6675.2, 6675.3  
 - Galvanized carbon steel  
**Model 2971.8**

Valve Size	Wt [lb]	Quantity	Part No	DG
1/2, 3/4	0.119	1	22170	8
1, 1 1/4	0.185	1	22172	8
1 1/2, 2	0.179	1	22174	8



**Viega ProPress stem extension**  
 - For Viega ProPress Zero Lead ball valves  
 - Bronze  
**Model 2971.96**

Valve Size	Wt [lb]	Quantity	Part No	DG
1/2, 3/4	0.207	1	23443 <sup>1</sup>	8
1, 1 1/4	0.245	1	23445 <sup>2</sup>	8
1 1/2, 2	0.276	1	23447 <sup>3</sup>	8

<sup>1</sup>) Suitable for Viega ProPress ball valve Part No 79875, 79876, 79920, 79923, 79925, 79928, 79970, 79975

<sup>2</sup>) Suitable for Viega ProPress ball valve Part No 79930, 79933, 79935, 79938, 79980

<sup>3</sup>) Suitable for Viega ProPress ball valve Part No 79940, 79943, 79948, 79950

