Product Name: MAX 40 Insecticide Cattle Ear Tag

SECTION 1: PRODUCT and COMPANY IDENTIFICATION

Product Name: MAX 40 Insecticide Cattle Ear Tag Date Prepared: 10/22/2019 39039-28 Date Revised: 5/27/2022

For Health Safety Emergency Only, Call CHEM-TEL, Inc. (24 hours): 1-800-255-3924 US Y-TEX Corporation

(+) 813-248-0585 International 1825 Big Horn Ave.

Cody, WY 82414 Other Information Calls: 800-443-6401, 307-587-5515 (Y-TEX)

(7:30am - 4:30pm MDT, Monday-Friday)

General Use: End-use insecticide ear tag for cattle

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Health Environmental Physical Category 4 (Oral) Acute Toxicity: None Known Acute Toxicity: Unknown, See Section 12 Category 5 (Dermal) Chronic Toxicity: Category 4

Skin Irritation: Skin Sensitization: No Eye: No

GHS LABEL:



SIGNAL WORD:

WARNING

HAZARD STATEMENTS:

Symbols: Exclamation – acute toxicity, Environmentally hazardous substance						
Hazard Statements		Precautionary Statements				
WARNING		P101	If medical advice is needed, have product container or label at hand			
H302	Harmful if swallowed	P102	Keep out of reach of children			
H313	May be harmful in contact with	P103	Read carefully and follow all instructions			
	skin	P264	Wash hands with soap and water thoroughly after handling			
H413	May cause long lasting harmful	P270	Do not eat, drink or smoke when using this product			
	effects to aquatic life	P273	Avoid release to the environment			
		P280	Wear protective gloves/protective clothing			
		P301+P317	IF SWALLOWED: Get medical help			
		P302+P317+P352 IF ON SKIN: Get medical help. Wash thoroughly with plenty of soap and water				
		P321	Specific treatment (see section 4 and label for first aid instruction, sections 7&8 for PPE)			
		P330	Rinse mouth			
		P362+P364	Take off contaminated clothing and wash it before reuse.			
		P501	Dispose of contents by securely wrapping and discarding in trash. Non-refillable container.			
			Do not reuse. Discard in trash or offer for recycling.			

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous substance

Chemical Name	Identifiers	%, w/w	LD ₅₀	Comments
Diazinon	CAS No. 333-41-5	40.0%	486 mg/kg oral, rat	

SECTION 4:	FIRST AID

Eye Contact: Eye contact may cause mild irritation. Avoid eye contact with tags or used gloves. If contacted, flush with plenty of water. Avoid skin contact by wearing chemical-resistant gloves made of rubber or any waterproof material (thickness equal to or greater than Skin Contact: 14 mils). Wash skin thoroughly with soap and water after use. If allergic skin irritation occurs, wash thoroughly with soap and water and seek medical attention.

Ingestion: May be harmful if swallowed. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by

mouth to an unconscious person. Call physician.

No apparent hazard with normal outdoor use when following instructions on label. Inhalation:

Other Diazinon is a cholinesterase inhibitor. Overexposure may produce any of the following possible symptoms: headache, giddiness, Information: blurred vision, weakness, nausea, cramps, diarrhea, discomfort in chest, nervousness, sweating, constricted pupils, tearing and salivation. If overexposure symptoms occur, call a physician immediately. Note to physician: Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and

may also be administered, but only in conjunction with atropine.

SECTION 5: FIRE FIGHTING MEASURES

Flash Point (method): Not Applicable Autoignition Temperature: Not Determined LEL: Not Applicable UEL: Not Applicable

Flammability Classification: Not Applicable

Extinguishing Media: Large fire: water fog or foam. Small fire: CO2 or dry chemical. Minimize water use and contain runoff.

Thermal decomposition products include but are not limited to various aliphatic organophosphates, substituted Hazardous Combustion Products: pyrimidines, hydrogen cyanide, CO & CO₂. HC1, phosgene and chlorine gases are possible combustion products.

Unusual Fire or Explosion Hazards: If fire seriously threatens large storage of tags, personnel should evacuate the area as toxic and irritating gases may be formed.

Fire-Fighting Instructions/Equipment: (For a large quantity of product) Wear protective clothing including rubber gloves and boots and self-contained air supply (SCBA). Remain upwind if possible. Runoff must be contained due to fish toxicity.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Use recommended personal protective equipment (see Section 8). Small Spill: Solid product. Not applicable. Large Spill: Solid product. Not applicable

SECTION 7: HANDLING AND STORAGE

Handling Keep out of reach of children. May be harmful if swallowed. Harmful if inhaled or absorbed through skin. Causes moderate eye Precautions:

irritation. Avoid contact with eyes, skin or clothing. Avoid breathing vapors. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Wear chemical-resistant gloves made of rubber or any waterproof material (thickness equal to or

greater than 14 mils) when applying tags.

Store in original container in a cool place away from direct sunlight. Opened bags containing ear tags should be resealed for Storage

Requirements: storage.

UEL:

Not applicable

Product Name: MAX 40 Insecticide Cattle Ear Tag

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS: Component U.S. OSHA PEL ACGIH TLV

Diazinon 0.1 mg/m³ (skin) Nuisance material (inert) 15 mg/m³ 10 mg/m³

Eye/Face Protection: None required Skin Protection: Chemical-resistant gloves made of rubber or any waterproof material

Respiratory Protection: None required Engineering Controls: None required

Administrative Controls: Use this product only as specified on the label. Other Information: See Section 7

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State: Solid, molded plastic ear tag, green color

Odor: Slight ester scent

Melting Point:

Flash Point:

Odor Threshold (ppm): Not applicable

Approx. 150°C (302°F)

Not applicable

Approx. 150°C (302°F)

Not applicable

Evaporation Rate:

Not applicable

Flammability (solid, gas): Solid, nonflammable LEL: Not applicable

Vapor Pressure (mm Hg): 2 x 10⁻⁴ for diazinon at 20°C

Vapor Density (Air = 1): Not applicable Relative Density: 1.16 g/cm³ (15 g/tag)

Specific Gravity $(H_20 = 1)$: Not applicable

Solubility in Water: Essentially insoluble (Diazinon = 40 ppm at 20°C)

Coefficient of Water/Oil solubility: Not applicable Autoignition Temperature: Not applicable

Decomposition Temperature: Not applicable V.O.C.: Not applicable

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability: Stable Hazardous Polymerization: Will not occur

Conditions to Avoid: Do not store near heat or open flame. Lengthy storage at high temperatures will promote the migration of active ingredients out

of tags, potentially reducing activity.

Chemicals to Avoid: None known

Hazardous Decomposition Products: Thermal decomposition products include but are not limited to various aliphatic organophosphates, substituted

pyrimidines, hydrogen cyanide, CO & CO2. HC1, phosgene and chlorine gases are possible combustion products.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Effects:

Eyes: Eye contact may cause mild irritation. Avoid rubbing tags in eyes. If contacted, flush with plenty of water.

Skin: Acute dermal LD₅₀>2000 mg/kg (male & female albino rabbits). Skin irritant: No (albino rabbits). Skin sensitizer: No (guinea pigs).

Avoid skin contact by wearing chemical-resistant gloves made of rubber or any waterproof material (thickness equal to or greater than 14

mils). Wash thoroughly with soap & water after use.

Ingestion: Acute oral LD₅₀>500 mg/kg (rats, for whole tag). May be harmful if swallowed. Do not store near food products.

Inhalation: Acute inhalation LC₅₀ (diazinon, rat) = 3.5 mg/L (4 hrs.) (data on active ingredient). No apparent hazard with normal outdoor use.

Chronic Effects

 Eyes:
 Not Determined
 Carcinogenicity:
 None known

 Skin:
 Not Determined
 Target Organ Effects:
 Not Determined

Ingestion: Not Determined Medical Conditions Aggravated by Long-term Exposure: None presently known

Inhalation: Not Determined Sensitization to Product: Skin-No (guinea pigs) Irritancy of Product: Skin - No (albino rabbits)

SECTION 12: ECOLOGICAL INFORMATION

This product is highly toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of used tags. Use this product only as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Pesticide Disposal: Remove tags before animal slaughter. Securely wrap used tags in a plastic bag and discard in trash. Do not reuse tag container.

Discard in trash.

Container Disposal: Non-refillable container. Do not reuse or refill bag. Dispose of empty bag in a landfill or by incineration or by other procedures

allowed by state and local authorities.

SECTION 14: TRANSPORT INFORMATION

<u>U.S. DOT</u>: Not regulated for transport Not regulated for transport

IMO/IMDG: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, Solid, N.O.S. (Diazinon mixture), Class 9, PG III, Limited Quantity, Marine

Pollutant

SECTION 15: REGULATORY INFORMATION

Diazinon is on the U.S. EPA's Section 313 TRI Reporting list

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING. May be fatal if absorbed through skin. Harmful if swallowed. Causes moderate eye irritation. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear chemical-resistant gloves made of rubber or any waterproof material (thickness equal to or greater than 14 mils) when applying tags. Do not contaminate water, food or feed by storage or disposal.

NOTE TO PHYSICIAN: Diazinon is an organophosphate insecticide. This product is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

SECTION 16: OTHER INFORMATION

Revision date: 5/27/2022 Update GHS codes USA EPA Reg. No.: 39039-28; USA Establishment No.: 39039-WY-01

The information contained herein is based on data available to us and is accurate and reliable to the best of our knowledge and belief. However, Y-TEX Corporation makes no representations as to its completeness or accuracy. Information is supplied on condition that persons receiving such information will make their own determination as to its suitability for their purposes prior to use. In no event will Y-TEX Corporation be responsible for damages of any nature whatsoever resulting from the use of or reliance upon the information contained herein.