

# 6200 SERIES STEP LADDERS

# **ENHANCED SAFETY**FEATURES

### IMPROVED LOCKTOP™ DESIGN

For safety, efficiency and productivity

#### **HIGH VISIBILITY YELLOW**

Tops and feet improve visibility and signal safety across the jobsite

#### **INTRODUCING INTERACTIVE ICON SAFETY LABELS**

Quick-reference safety labels for multi-lingual understanding and interactive videos

STANDARDIZED DUTY RATING RAIL COLORS

300lb LOAD CAPACITY

Combined Weight of User and Materials



# PATENTED LOCKTOP™ DESIGNED TO INCREASE YOUR PRODUCTIVITY



LOCK-IN™ accessory system secures tools and expands ladder top



Three position anchor points prevent tools from accidentally falling while working at height



Metal plate holds magnetic accessories like flashlights & laser levels

# **TYPE IA PROFESSIONAL STEP LADDERS**

### **INTERACTIVE SAFETY LABELS**

- Easy-to-understand icons on safety labels provide quick-reference for multi-lingual crews.
- Scannable code offers destination for detailed safety instructions with do's and don'ts videos in three languages.











## **EASILY IDENTIFY LADDER TYPE**

- Larger color-coded duty rating labels on the rail and molded on the ladder top make it easy to quickly identify load capacity.
- Standardized rail colors represent duty rating:
  - Type IA Fiberglass Step Ladders have orange rails.
- Yellow ladder tops and feet improve visibility and signal safety across the jobsite.
- Bold colors and graphics enhance safety practices.



| DUTY RATING   | Type IA, 300 lbs   |  |  |  |
|---------------|--|--|--|--|
| RAIL COLOR    | Orange   |  |  |  |
| LADDER TOP    | High visibility yellow, LOCKTOP™<br>enhanced functionality |  |  |  |
| LADDER FEET   | High visibility yellow<br>with <b>EDGE360™ Bracing</b>     |  |  |  |
| SAFETY LABELS | Quick-reference with QR code                               |  |  |  |



## **LADDER LOCKTOP™ DESIGNED WITH PROS IN MIND**



#### **6200 FEATURES**

- Exclusive Werner LOCKTOP™ is compatible with Werner LOCK-IN™ accessories
- Securely holds tools pros use the most
- Three anchor points tether expensive power tools
- Metal plate for magnetic accessories like flashlights and laser levels



#### **EXPERIENCE THE LOCKTOP™**

- O Anchor Points (3)
- 02 Paint Tray Inserts
- 03 Paint Can Holder
- 04 Parts Bin
- **15** Screwdriver Slots
- 1 Impact Driver Slot
- **17** Paint Can Hook
- **08** Werner LOCK-IN™ Accessory
- (Hang variety of tools with power tool belt clip)
- Metal Mounting Plate (Secures magnetic accessories)
- Small Tool Holder
  (Holds multi-purpose screwdriver or wrench)
- Molded Duty Rating



## **EXPAND YOUR LADDER TOP WITH LOCK-IN™ ACCESSORIES**



\*All LOCK-IN™ Accessories sold separately.

Ask your Sales Representative for details and availability.



PAINT CUP LINER Model AC27-L



UTILTY BUCKET
Model AC52-UB



PAINT CUP Model AC27-P



JOB CADDY Model AC54-JC




JOB BUCKET Model AC50-JB-3



T00L LASS0 Model AC58-TL





#### **FEATURES**

- · High-visibility ladder top signals safety
- High-visibility feet to prevent kicks and trips
- Updated labels with enhanced print and digital icons
- Fiberglass rail colors signify duty ratings:
   Orange = IA
- EDGE360<sup>™</sup> features integrated rail shields, energy diffusing geometry, and oversized foot pads
- Every rivet backed up by metal plate or washer to protect rails



**COMPATIBLE WITH** 



Non-conductive side rails for working near electricity







| Model No.   | Size | Approx.<br>Width | Approx.<br>Spread | Avg. Reach Height  *Assumes a 5' 7" person with vertical 12" reach | Approx.<br>Shipping<br>Weight (lbs) |  |
|---|------|------------------|-------------------|--|-------------------------------------|--|
| 6200 SERIES FIBERGLASS STEP LADDER 300LB LOAD CAPACITY, TYPE IA |      |                  |                   |  |                                     |  |
| 6203  | 3′   | 18-1/8"          | 23-1/8″           | 7′0″   | 13.0                                |  |
| 6204  | 4′   | 19-7/8"          | 29"               | 8′5″   | 16.0                                |  |
| 6205  | 5′   | 21-5/8"          | 35-1/8"           | 9′5″   | 19.0                                |  |
| 6206  | 6′   | 23-3/8"          | 41-1/4"           | 10′4″  | 22.0                                |  |
| 6207  | 7′   | 25-1/8"          | 47-1/2"           | 11′4″  | 26.0                                |  |
| 6208  | 8′   | 26-7/8"          | 53-5/8"           | 12´3″  | 30.0                                |  |
| 6210  | 10'  | 30-3/8"          | 65-7/8"           | 14´2″  | 39.0                                |  |
| 6212  | 12′  | 33-7/8"          | 78-1/4"           | 16′1″  | 48.0                                |  |





CORPORATE HEADQUARTERS For information on Werner safety trainings and to request a personalized safety training session, scan here:

