

SAFETY DATA SHEET

Dr. Naylor Blu-Kote 4 oz



Prepared according to U.S. OSHA, CMA, ANSI, Canadian WHMIS regulations

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: **Dr. Naylor Blu-Kote 4 oz**
PRODUCT DESCRIPTION: Pharmaceutical. This product is a fast drying antiseptic and fungicidal liquid for surface wounds, abrasions and ringworm. This product is packaged in a 4 oz. plastic bottle with dauber or pump spray cap.
U.N. NUMBER: NA1993
U.N. DANGEROUS GOODS CLASS: See section 14 for Details
SUPPLIER/MANUFACTURER'S NAME: **H.W. Naylor Company, Inc.**
ADDRESS: 121 Main Street, Morris, New York 13808
EMERGENCY PHONE: (607) 217-0011
BUSINESS PHONE: (607) 217-0011 For Product Information
WEB SITE: www.drnaylor.com
DATE OF PREPARATION: June 15, 2010
DATE OF REVISION: April 28, 2014

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

PRODUCT DESCRIPTION: This product is a blue liquid with a characteristic alcohol odor.

HEALTH HAZARDS: Not Intended for internal use! May cause gastrointestinal irritation if swallowed. Direct eye contact may cause irritation.

FLAMMABILITY: This product is combustible liquid with flash point >170°F.

ENVIRONMENTAL EFFECTS: The Environmental effects of this product have not been investigated, however this product is not expected to cause significant adverse effects to aquatic life.

US DOT SYMBOL(S)



SEE SECTION FOR DETAILS

CANADA (WHMIS) SYMBOL(S)



GHS HAZARD SYMBOL(S)



Signal Word: **Warning!**

COMPONENTS DETERMINING HAZARDS:

Isopropyl Alcohol

GHS HAZARD CLASSIFICATION(S):

Flammable Liquid Category 2

Acute Oral Toxicity Category 4

Eye Irritant Category 2

HAZARD STATEMENTS:

Combustible Liquid

Harmful if swallowed

Causes eye irritation

PRECAUTIONARY STATEMENTS:

Wear protective face/eye protection

Wash hands thoroughly after handling

HEALTH HAZARDS OR RISKS FROM EXPOSURE:

ACUTE:

INHALATION: Not expected to be a normal route of entry

EYE CONTACT: Direct eye contact can cause irritation with redness and tearing.

SKIN CONTACT: Contact with skin is not expected to cause irritation

INGESTION: Not expected to be a normal route of entry. May cause gastrointestinal irritation if swallowed.

CHRONIC: None known

SAFETY DATA SHEET

Dr. Naylor Blu-Kote 4 oz

TARGET ORGANS:

ACUTE: Eye

CHRONIC: None known

SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDS DISCLOSURE: This product does contain known hazardous materials in reportable levels as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200. As defined under Sara 311 and 312, this product contains known hazardous materials.

HAZARDOUS INGREDIENTS:	CAS #	WT %	HAZARD CLASSIFICATION; RISK PHRASES
Isopropyl Alcohol	67-63-0	32%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36
Non-Hazardous Ingredients	NA	Balance	HAZARD CLASSIFICATION: None RISK PHRASES: None

Each of the other components present are less than 1 percent concentration (0.1% concentration for potential carcinogens, reproductive toxins, respiratory tract sensitizers, and mutagens)

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format.

SECTION 4 - FIRST-AID MEASURES

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation continues or blurred vision occurs.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention immediately.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE Persons with pre-existing eye or skin conditions may be more susceptible to the effects of the substance.

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and reduce over-exposure.

SECTION 5 - FIRE-FIGHTING MEASURES

FLASH POINT:

170°F

AUTOIGNITION TEMPERATURE:

>750°F

FLAMMABLE LIMITS (in air by volume, %):

Lower (LEL): Not Established Upper (UEL): Not Established

FIRE EXTINGUISHING MATERIALS:

Dry chemical, carbon dioxide, foam, or water spray

UNUSUAL FIRE AND EXPLOSION HAZARDS:

None known

Explosion Sensitivity to Mechanical Impact:

Not Sensitive.

Explosion Sensitivity to Static Discharge:

Not Sensitive

SPECIAL FIRE-FIGHTING PROCEDURES:

NFPA Rating System



Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Pickup spilled material immediately using polypads or other suitable absorbent material and place in appropriate containers. Use non dust generating methods. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

Do not discharge to sewers and surface waters. Notify authorities if entry occurs.

U.S. Regulations (CERCLA) requires reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

SAFETY DATA SHEET

Dr. Naylor Blu-Kote 4 oz

SECTION 7 - HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: Handle in accordance with good industrial hygiene and safety practices.

STORAGE AND HANDLING PRACTICES: Protect against physical damage. Store containers in a cool, dry location. Observe all warnings and precautions listed for the product. Keep from freezing and high heat sources.

SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

EXPOSURE LIMITS/GUIDELINES:

Chemical Name	CAS#	ACGIH TWA	OSHA TWA
Isopropyl Alcohol	67-63-0	400 ppm	200 ppm

Currently, International exposure limits are not established for all the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne vapors.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Not normally required when using this product. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93.

EYE PROTECTION: Not normally required with this product. Use safety glasses and/or goggles, as appropriate. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards.

HAND PROTECTION: Not normally required with this product. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada.

BODY PROTECTION: Not normally required with this product. If necessary, refer to appropriate Standards of U.S., Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

PHYSICAL STATE:	Liquid
APPEARANCE & ODOR:	Blue liquid with a characteristic alcohol odor.
ODOR THRESHOLD (PPM):	Mild
VAPOR PRESSURE (mmHg):	Not Available
VAPOR DENSITY (AIR=1):	Not Available
EVAPORATION RATE (nBuAc = 1):	Not Available
BOILING POINT (C°):	Not Available
MELTING POINT (C°):	Not Available
pH:	Not Available
SPECIFIC GRAVITY 20°C: (WATER =1)	Not Available
SOLUBILITY IN WATER (%)	Soluble
VOC:	None

SECTION 10 - STABILITY and REACTIVITY

STABILITY: Product is stable

DECOMPOSITION PRODUCTS: When heated to decomposition this product produces oxides of carbon.

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: None known

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Contamination, freezing and high heat sources.

SAFETY DATA SHEET

Dr. Naylor Blu-Kote 4 oz

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICITY DATA: Toxicity data is not available for this product:

SUSPECTED CANCER AGENT: None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore are not considered to be, nor suspected to be a cancer-causing agent by these agencies.

IRRITANCY OF PRODUCT: Contact with this product can be irritating to eyes.

SENSITIZATION OF PRODUCT: Ingredients in this product are not considered a sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: No information available

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

ENVIRONMENTAL STABILITY: These products have not been tested for persistence or biodegradability. The components may slowly degrade in the environment and form a variety of organic and inorganic materials; however, no specific information is known.

EFFECT OF MATERIAL ON PLANTS or ANIMALS: No data currently available

EFFECT OF CHEMICAL ON AQUATIC LIFE: No data currently available

SECTION 13 - DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate Federal, State, and local regulations.

SECTION 14 - TRANSPORTATION INFORMATION

THIS PRODUCT IS HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

NOTE: This product may be shipped within the U.S. in Non-Bulk packaging via ground or rail in containers less than 119 gallons as Non-Regulated Material.

PROPER SHIPPING NAME: Combustible Liquid, n.o.s. (Contains Isopropyl Alcohol)

HAZARD CLASS NUMBER and DESCRIPTION: Combustible Liquid, Class 3

UN IDENTIFICATION NUMBER: NA1993

PACKING GROUP: PGIII

DOT LABEL(S) REQUIRED: Combustible Liquid Class 3

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2012): 128

MARINE POLLUTANT: None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101.

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

This product is classified as Dangerous Goods, per regulations of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

This product is classified as Dangerous Goods, by rules of IATA:

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is classified as Dangerous Goods by the International Maritime Organization.

SECTION 15 - REGULATORY INFORMATION

UNITED STATES REGULATIONS

SARA REPORTING REQUIREMENTS: This product is subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312:

Acute Health: Yes Chronic Health: No Fire: Yes Reactivity: No

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for this

SAFETY DATA SHEET

Dr. Naylor Blu-Kote 4 oz

product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): None of the ingredients are on the California Proposition 65 lists.

CANADIAN REGULATIONS:

CANADIAN DSL/NDL INVENTORY STATUS:All of the components of this product are on the DSL Inventory

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: This is considered to be a hazardous material under the Hazardous Products Act as defined by the Controlled Products Regulations and is therefore subject to the labeling and MSDS requirements of the Workplace Hazardous Materials Information System (WHMIS). Class B Division 3 Combustible liquid.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac:	Listed or Exempt
Australian Inventory of Chemical Substances (AICS):	Listed or Exempt
Korean Existing Chemicals List (ECL):	Listed or Exempt
Japanese Existing National Inventory of Chemical Substances (ENCS):	Listed or Exempt
Philippines Inventory of Chemicals and Chemical Substances (PICCS):	Listed or Exempt
Swiss Giftlist List of Toxic Substances:	Listed or Exempt
U.S. TSCA:	Listed

SECTION 16 - OTHER INFORMATION

PREPARED BY: Paul Eigbrett

GHS MSDS Compliance PLUS

Disclaimer:

Although the information set forth herein is presented in good faith and believed to be correct as of the date of issuance, it has been furnished by our suppliers; consequently, H.W. Naylor Company makes no representations or warranties, express or implied, with respect to information herein presented. The information set forth herein is supplied upon the condition that the persons receiving same will make their own determination as to suitability for their purposes prior to use and relates only to the specific product described and not to such product in combination with any other product. In no event will H.W. Naylor Company be responsible for damages of any nature resulting from the use of or reliance upon this information.